

**Research/Technical Note**

# Plausible Approach for Rapid Detection of SARS-CoV-2 Virus by Magnetic Nanoparticle Based Biosensors

**Md. Aminul Islam<sup>1, \*</sup>, Md. Ziaul Ahsan<sup>1, 2</sup>**<sup>1</sup>Department of Physics, Bangladesh University of Engineering and Technology, Dhaka, Bangladesh<sup>2</sup>Department of Physics, Military Institute of Science and Technology, Dhaka, Bangladesh**Email address:**

maislam.buet.phy@gmail.com (Md. A. Islam)

\*Corresponding author

**To cite this article:**Md. Aminul Islam, Md. Ziaul Ahsan. Plausible Approach for Rapid Detection of SARS-CoV-2 Virus by Magnetic Nanoparticle Based Biosensors. *American Journal of Nanosciences*. Vol. 6, No. 2, 2020, pp. 6-13. doi: 10.11648/j.ajn.20200602.11**Received:** June 22, 2020; **Accepted:** July 3, 2020; **Published:** July 23, 2020

---

**Abstract:** A new pandemic named as COVID-2019 (coronavirus disease 2019) has stunned the world. This pandemic situation arises due to an enormous death toll of human lives across the world by the infection of SARS-CoV-2 that results in pneumonia-associated respiratory syndrome. It is repently observed to speedy spread over the world day by day because of need in rapid detection, proper medication, and proven treatment. Since it's evolved in November 2019, scientists were engaged to find its genome code. However, the current efforts of the scientist (both physical and biological) in the world is to invent specific antiviral drugs and physical therapeutic against COVID-19 and rapid detection method. Hence we have tried to discuss in this report rapid detection system of the viral genome like +ssRNA, and S (spike) - protein containing into SARS-CoV-2 by magnetic nanoparticles (MNPs). To detect SARS-CoV-2 pathogens, giant magnetoresistive (GMR) biosensor along with MNPs may play a significant role. We expect that this detection system will be an effective challenge to control the outbreak of COVID-19.

**Keywords:** COVID-19, Magnetic Nanoparticle, GMR

---

## 1. Introduction

In recent years, researchers across the world have paid much attention to the synthesis of different kinds of MNPs and strive hard to enhance electrical and magnetic properties, and also to the structural correlation and tunability in them for their diversified applications in the fields of biotechnology, biomedical, material science, engineering, and environmental aspects [1-8]. In the biomedical section, biosynthesized such as bio-coated and biofunctionalized MNPs have already been extensively and effectively used in the multifarious applications like drug delivery, hyperthermia, magnetic resonance imaging (MRI), tissue engineering, and repair, biosensing, biochemical separation, and bioassay, etc. [9]. Recently, biofunctionalized MNPs are effectively used in the detection of bio pathogens such as bacteria and viruses [4, 10] across the world because of their small size, good mono-dispersity, superparamagnetic behavior, high coercivity,

low Curie temperature, and high magnetic susceptibility etc. Besides, MNPs are presently found to be widely used to detect the deadly respiratory viral pathogens [11-14]. These bio-synthesized MNPs are used because most of them with good mono-dispersity and excellent magnetic properties are oil-soluble, which greatly restricts at the time of bio-detection [15-17]. Another reason for bio-synthesis is the divergence of control in size, shape, stability, and dispersibility of MNPs in desired bio-solvents. From December 2019 a new viral disease named coronavirus disease (COVID-19) has become at the apex of discussion across the globe that stunned the world [18]. The pathogen of COVID-19 is severe acute respiratory syndrome coronavirus 2 (SARS- CoV-2) [18] against which no vaccination, drugs, therapeutics, and effective and prompt detection kit are developed. That leads to a challenging issue for scientists and clinicians still to date. However, detection by MNPs or any other NPs is expected to be a promising one to face the aforesaid challenges in the near

future [14, 19]. In the present study, we have discussed how MNPs may play a vital role in biomedical applications such as testing of severe acute respiratory syndrome 2 or other viral pathogens and treatment of virus-infected patients, especially present pandemic COVID-19 patients.

## 2. Materials and Methods

### 2.1. Genome of SARS-CoV-2

The SARS-CoV-2 is a  $\beta$ -type positive-sense (+ss) RNA virus with a size of  $\sim$ 29.9 kb [20]. Its genome structure is approximately similar to SARS-CoV and MERS-CoV having positive-sense RNA genomes of 27.9 kb and 30.1 kb, respectively [21]. This type of RNA genome is 5' capped and 3' polyadenylated, which contains a 5' cap structure along with a 3' poly (A) tail, allowing it to act as an mRNA for translation of the replicasepolyproteins [22]. Approximately 70% of viral RNA encodes 16 non-structural proteins (NSP) and the rest part of virus genome encodes four essential structural proteins, including spike (S) glycoprotein, small envelope (E) protein, matrix (M) protein, and nucleocapsid (N) protein [23]. There are two types of SARS-CoV-2 such as L type ( $\sim$  70%) and S type ( $\sim$  30%). The strains in L type are more aggressive and contagious derived from S type [24]. Based on the genomic analysis it is clear that SARS-CoV-2 could use angiotensin-converting enzyme 2 (ACE2), as similar to SARS-CoV [25], to infect the human body. To detect +ssRNA and S-protein in the said virus is required to know the synthesis process, and surface functionalization of MNPs.

### 2.2. Magnetic Nanoparticle Synthesis

Magnetic nanoparticles (MNPs) can be synthesized in a variety of ways like wet chemical [26], template-directed [27], microemulsion [28], thermal decomposition [29], solvothermal method [30], solid-state [31], deposition method [32], spray pyrolysis [33], self-assembly [34], physical and lithographic [35] methods. Some of these methods have some drawbacks due to irregular shape, and the possibility of contamination at the time of synthesis. However, co-precipitation, thermal decomposition, hydrothermal, laser ablation, microemulsion, and chemical vapor deposition or arc discharge [36] are considered to be suitable methods for biomedical applications by MNPs to date. Here in this section, we have discussed a short description of thermal decomposition and hydrothermal methods due to their approaching better results in magnetic nanostructures, size, and morphology in comparison with other synthetic routes [37] for the purpose.

#### 2.2.1. Thermal Decomposition

Thermal decomposition is one of the nanoparticle synthesis methods wherein the nature of metallic ion and the force of reaction with the ligands in coordination compounds have effects at elevated temperature and pressure that resulting in the breaking of the chemical bond [38, 39]. In this method, no

particular stabilizing agent (stabilizer) is required/used for thermodynamic or kinetic stability in coordinated compounds [40]. However, according to Maity et al., to control the size, morphology and magnetic structure some organometallic compounds (such as oleylamine, oleic acid, phenyl ether, benzyl ether, 1-octadecene, and acetylacetonate) are used with magnetic oxide in this method [41]. Surprisingly, it is noted that the spherical and cubic shape nanoparticles are plausible to synthesis by this thermal decomposition method [42]. Wherein the spherical-shaped nanoparticles are usually obtained at the short decomposition duration (2-4 hrs) whereas longer duration (10 – 12hrs) resulted in cubic morphology [43].

#### 2.2.2. Hydrothermal Process

The hydrothermal method is another important chemical route for the synthesis of nanoparticles where heterogeneous reactions occur in aqueous media above ambient temperature and pressure [44]. The MNPs of metal, metal oxide [46, 46], rare earth transition metal magnetic nanocrystals [47], semiconducting [48], dielectric, rare-earth fluorescent, and polymeric [49] can be fabricated by using this method. In this method, the aqueous solution of analytical graded associated chemical reagents has been prepared at a high boiling point and high pressure under the argon atmosphere. The MNPs can then be synthesized from that aqueous solution with controlled shape and size [50].

### 2.3. Functionalization of MNPs

After synthesizing the MNPs, some defects remain on its surface, hence it needs to be functionalized its surface by grafting or organic/inorganic coating. The functionalization of MNPs is required because non-functionalized MNPs restrict bio-detection, bio-imaging, bio-sensing, and biomedicine. And the enhanced magnetic properties of MNPs are shown after the effect of surface functionalization. Hence in this section, we have discussed the surface functionalization by organic compounds, biomolecules, and inorganic materials.

#### 2.3.1. Surface Functionalization by Organic Materials

In order to prevent or decrease the agglomeration of MNPs and increase the stability of MNPs, organic compounds such as carboxylate [16], glycine [51], dextran [16, 52, 53], polyvinylpyrrolidone (PVP) [54], acropolis [55], polyethyleneglycol (PEG) [56, 57], polyethyleneimine (PEI) [58], polyvinylalcohol (PVA) [59], oleic acid, lauric acid, dodecyl phosphonate, hexadecyl phosphate and so on often play an important role to passivate the surface of MNPs during or after their synthesis to avoid agglomeration [60]. To remove oil solubility and water-solubility of MNPs, the hydrophilic and hydrophobic chemical groups are used [60]. It is to be noted that organic compounds functionalized MNPs provide not only the basic magnetic properties but also possess good biocompatibility and biodegradability of the functional organic materials [61].

#### 2.3.2. Surface Functionalization by Biomolecules

In order to expand the scopes of MNPs for the biological

application, some biomolecules such as protein [62, 63], polypeptide [64], antibody [65, 66], biotin and avidin [67], etc are usually employed to enhance its biocompatibility [68]. The biological molecules functionalized MNPs are very useful to assist an effective separation of proteins, DNA, cells, biochemical products, etc. The human serum albumin (HAS)-coated MNPs are more important for n-Vivo regional target therapy [69]. The water proton coated superparamagnetic MNPs are reported to act as magnetic switches by enhancing spin-spin relaxation times [70] and thus make them suitable to develop biocompatible magnetic nanosensors [71].

### 2.3.3. Surface Functionalization by Inorganic Materials

With all organic and biomolecules, inorganic compounds such as silica [72], metal [73], nonmetal [74], metal oxides [75-77], and sulfides [72, 78] have extensively used for surface functionalization of MNPs [68]. The inorganic compounds are used to enhance the antioxidation properties of MNPs, which have promising applications in catalysis, bio-labeling, and bioseparation [72]. The inorganic compound functionalized MNPs can control the structure and interface interaction with demonstrated physical and chemical properties that will be essential for future technological applications. With all inorganic compounds, optical-electronic material functionalized MNPs play an important role to enlarge the MNPs application scope. Novel water-soluble hybrid material consisting of quantum dots (QDs) and MNPs encapsulated in a silica shell exhibits a good luminescent and magnetic properties with broad excitation, and strong resistance to photobleaching, resulting in these materials are easy to apply for bio-detection and bio-sensing [99].

### 2.4. Attaching Viruses to Magnetic Nanoparticles

To know the viral genome detection mechanism by magnetic nanosensor it is required to know how viruses and MNPs attached to each other. Viruses and MNPs are attached as supramolecular architectural design with unique building blocks [79]. These supramolecular assemblies with the perfect ratio of viruses and MNPs change the optical and magnetic properties of pure MNPs [80]. These supermolecular structures are therefore very sensitive to the virus, which may allow designing magnetic nanosensors capable of detecting targets such as nucleic acid (DNA, RNA) and proteins [81], specially +ssRNA and S-proteins containing SARS-CoV-2 and thus ultimately to the rapid detection of the SARS-CoV-2 virus.

### 2.5. Magnetic Separation Technique

A viral object often needs to be separated from its environment [82] for virus detection. Magnetic separation is indeed the mechanism of rapid virus detection by the MNPs. So, it is required to know about the magnetic separation technique to understand the mechanism of virus detection by MNPs. The magnetic separation of targeted biomolecules is caused by interacting with the surface ligand and receptor of functionalized MNPs [10]. This magnetic separation

technique is comparatively simple, rapid, and capable of capturing specific proteins or other biological macromolecules efficiently [83] as compared to the centrifugation technique, which is much time-consuming, less efficient, and has a poor effect.

## 3. Discussion

### 3.1. Detecting Viruses

The new virus SARS-CoV-2 is spreading out in the human body at an alarming rate. By the time, around 253 countries in the world have been severely affected because of a lack of ineffective and rapid detection kits due to a variety of transmutation nature of this virus. This fact necessitates to exploit/explore or discover such an effective and rapid and efficient detection device for the SARS-CoV-2 virus. As such, efforts are still continuing to invent such a rapid detection device among the scientific community across the world. Recently, Fluorescence, [84] light scattering [85] surface-enhanced Raman scattering (SERS) [86] electrochemical [87, 88] quartz crystal microbalance (QCM) [89, 90] microcantilevers (MCLs) [91], surface plasmon resonance (SPR) [92, 93] and magnetic [94] sensors have developed for virus or other viral genome detection. With all magnetic nanosensors such as giant magnetoresistive (GMR) sensors, magnetic tunnel junction (MTJ) sensors, and SQUID sensors play a vital role to detect viral pathogens. At present, the most-used MNPs are superparamagnetic NPs, which can be magnetized by applying the magnetic field. Then they redisperse in the solution with the removal of the magnetic field. Thus magnetic nanosensors with superparamagnetic NPs can be capable to detect the more complex target, such as intact viral particles in serum. [81]. As compared to SQUID sensors, GMR sensors are simpler and more portable, and they operate at room temperature. This is why we try to discuss +ssRNA and S-protein containing the SARS-CoV-2 detection technique by GMR sensors.

### 3.2. GMR Biosensor and Detection Principle

GMR biosensors along with MNPs is a powerful tool for high sensitivity, real-time electrical readout, and rapid biomolecule detection which was first introduced by Baselt et al. in 1998 [95] and then have been developed by several research groups [96-101]. The basic principle of giant magnetoresistance-based immunoassay detection is the alternation of magnetization with changing the electrical resistance from high to low [102]. Because of spin collision at the interfaces between MNPs and non-magnetic biomolecules such as viral protein [103, 104]. This spin collision at the interface is the governing factor of changing the electrical resistance. Accordingly, when the spin collision increases then the electrical resistance decreases that ultimately to increase the magnetization in the interface between MNPs and protein, and thereby by proper calibration to the uninfected body this magnetic signal may be the measuring parameters in the said detection device in its operation. Since there is no

ferromagnetism property in S-protein and +ssRNA containing SARS-CoV-2, it may allow the detection of magnetic signals with less background noise, which is evident from the previously published report [105]. In the overall discussion, to detect respiratory viral pathogens like SARS-CoV-2, the MNPs play a vital aspect in the GMR biosensing technology. The GMR biosensor based device is more sensitive, less time consuming, low costing device than other conventional testing devices. GMR biosensors rely on a magnetic tag, that offers several key advantages over other sensing modalities [98]. First, the biological samples (blood, urine, serum, etc.) naturally lack any detectable magnetic content, providing a sensing platform with a very low background level and thus lower detection limit of analytes. Second, the sensors can be arrayed and multiplexed to perform analysis on a panel of proteins or nucleic acids in a single assay. Lastly, the sensors can be manufactured cheaply, in mass quantities, to be deployed in a one-time use disposable format. For these reasons, magnetic biosensors are an attractive and competitive alternative to optical techniques. Also, GMR biosensor is important because it is possible to integrate this assay into a portable, handheld device for on-site application.

## 4. Conclusion

During the COVID-19 pandemic, the rapid and reliable detection of the pathogens of SARS-CoV-2 to protect its spread has become an undeniable necessity for us. Magnetic biosensor especially the GMR biosensor along with MNPs may be a very sensitive and promising biosensing device to rapid detection of SARS-CoV-2 S-protein and +ssRNA from the biological samples (blood, urine, serum, etc.). This is focused as an alternative option to develop sooner for separating COVID-19 patients and thus protect the outbreak of COVID-19 to regain a normal pace in the world.

## References

- [1] Na, H. B., Song, I. C., & Hyeon, T. (2009). Inorganic Nanoparticles for MRI Contrast Agents. *Advanced Materials*, 21 (21), 2133–2148.
- [2] Gupta, A. K., & Gupta, M. (2005). Synthesis and surface engineering of iron oxide nanoparticles for biomedical applications. *Biomaterials*, 26 (18), 3995–4021.
- [3] Takafuji, M., Ide, S., Ihara, H., & Xu, Z. (2004). Preparation of Poly (1-vinylimidazole)-Grafted Magnetic Nanoparticles and Their Application for Removal of Metal Ions. *Chemistry of Materials*, 16 (10), 1977–1983.
- [4] Sun, S., Murray, C. B., Weller, D., Folks, L., Moser, A. (2000). Monodisperse FePt Nanoparticles and Ferromagnetic FePt Nanocrystal Superlattices. *Science*, 287 (5460), 1989–1992.
- [5] Guo, T., Lin, M., Huang, J., Zhou, C., Tian, W., Yu, H., ... Feng, X. (2018). The Recent Advances of Magnetic Nanoparticles in Medicine. *Journal of Nanomaterials*, 2018, 1–8.
- [6] Dudek, M. R., Dudek, K. K., Wolak, W., Wojciechowski, K. W., & Grima, J. N. (2019). Magnetocaloric materials with ultra-small magnetic nanoparticles working at room temperature. *Scientific Reports*, 9 (1), 17607.
- [7] Ale Ebrahim, S., Ashtari, A., Pedram, M. Z., Nader Ale Ebrahim N. (2019). Publication Trends in Drug Delivery and Magnetic Nanoparticles. *Nanoscale Res Lett* 14, 164.
- [8] Yang, W., Rehman, S., Chu, X., Hou, Y., & Gao, S. (2015). Transition Metal (Fe, Co and Ni) Carbide and Nitride Nanomaterials: Structure, Chemical Synthesis and Applications. *Chem NanoMat*, 1 (6), 376–398.
- [9] Reddy, L. H., Arias, J. L., Nicolas, J., & Couvreur, P. (2012). Magnetic Nanoparticles: Design and Characterization, Toxicity and Biocompatibility, Pharmaceutical and Biomedical Applications. *Chemical Reviews*, 112 (11), 5818–5878.
- [10] Lu, L., Wang, X., Xiong, C., & Yao, L. (2015). Recent advances in biological detection with magnetic nanoparticles as a useful tool. *Science China Chemistry*, 58 (5), 793–809.
- [11] Chou, T.-C., Hsu, W., Wang, C.-H., Chen, Y.-J., & Fang, J.-M. (2011). Rapid and specific influenza virus detection by functionalized magnetic nanoparticles and mass spectrometry. *Journal of Nanobiotechnology*, 9 (1), 52.
- [12] Barnett, J. M., Monnier, B. M., Tyler, S., West, D., Ballantine-Dykes, H., Regan, E., ...Luxton, R. (2020). Initial trail results of a magnetic biosensor for the rapid detection of Porcine Reproductive and Respiratory Virus (PRRSV) infection. *Sensing and Bio-Sensing Research*, 27, 100315.
- [13] Wu, K., Liu, J., Saha, R., Su, D., Krishna, V. D., Cheeran, M. C-J and Wang, J-P. (2019). Detection of Influenza A Virus Nucleoprotein Through the Self-Assembly of Nanoparticles in Magnetic Particle Spectroscopy-Based Bioassays: A Method for Rapid, Sensitive, and Wash-free Magnetic Immunoassays. <https://arxiv.org/abs/1907.06000>.
- [14] Zhao, Z., Cui, H., Song, W., Ru, X., Zhou, W., Yu, X. (2020). A simple magnetic nanoparticles-based viral RNA extraction method for efficient detection of SARS-CoV-2. <https://www.biorxiv.org/content/10.1101/2020.02.22.961268v1>.
- [15] Colombo, M., Carregal-Romero, S., Casula, M. F., Gutiérrez, L., Morales, M. P., Böhm, I. B., ...Parak, W. J. (2012). *Biological applications of magnetic nanoparticles. Chemical Society Reviews*, 41 (11), 4306.
- [16] Laurent, S., Forge, D., Port, M., Roch, A., Robic, C., Vander Elst, L., & Muller, R. N. (2008). Magnetic Iron Oxide Nanoparticles: Synthesis, Stabilization, Vectorization, Physicochemical Characterizations, and Biological Applications. *Chemical Reviews*, 108 (6), 2064–2110.
- [17] Gijs, M. A. M., Lacharme, F., & Lehmann, U. (2010). Microfluidic Applications of Magnetic Particles for Biological Analysis and Catalysis. *Chemical Reviews*, 110 (3), 1518–1563.
- [18] Wang, H., Li, X., Li, T., Zhang, S., Wang, L., Wu, X., & Liu, J. (2020). The genetic sequence, origin, and diagnosis of SARS-CoV-2. *European journal of clinical microbiology & infectious diseases: official publication of the European Society of Clinical Microbiology*, 1–7. Advance online publication.

- [19] Nikaen, G, Abbaszadeh, S, Yousefinejad, S. (2020). Application of nanomaterials in treatment, anti-infection and detection of coronaviruses [published online ahead of print, 2020 May 7]. *Nanomedicine (Lond)*.10.2217/nmm-2020-0117. doi: 10.2217/nmm-2020-0117.
- [20] Khailany, RA., Safdar, M., Ozaslan, M. (2020) Genomic characterization of a novel SARS-CoV-2 [published online ahead of print, 2020 Apr 16]. *Gene Rep.*; 19: 100682.
- [21] De Wit, E., van Doremalen, N., Falzarano, D., & Munster, V. J. (2016). *SARS and MERS: recent insights into emerging coronaviruses*. *Nature Reviews Microbiology*, 14 (8), 523–534.
- [22] Andrew M. Q. King, Michael J. Adams, Elliot J. Lefkowitz. (2011) Coronaviridae, Ch 24, 435-461.
- [23] Molenkamp, R., & Spaan, W. J. M. (1997). Identification of a Specific Interaction between the Coronavirus Mouse Hepatitis Virus A59 Nucleocapsid Protein and Packaging Signal. *Virology*, 239 (1), 78–86.
- [24] Guo, Y.-R., Cao, Q.-D., Hong, Z.-S., Tan, Y.-Y., Chen, S.-D., Jin, H.-J., ... Yan, Y. (2020). The origin, transmission and clinical therapies on coronavirus disease 2019 (COVID-19) outbreak – an update on the status. *Military Medical Research*, 7 (1).
- [25] Zhou, P., Yang, X.-L., Wang, X.-G., Hu, B., Zhang, L., Zhang, W., ... Shi, Z.-L. (2020). A pneumonia outbreak associated with a new coronavirus of probable bat origin. *Nature*. <https://doi.org/10.1038/s41586-020-2012-7>.
- [26] Sun, J., Zhou, S., Hou, P., Yang, Y., Weng, J., Li, X., & Li, M. (2006). Synthesis and characterization of biocompatible Fe<sub>3</sub>O<sub>4</sub> nanoparticles. *Journal of Biomedical Materials Research Part A*, 80A (2), 333–341.
- [27] Jiao, F., Jumas, J.-C., Womes, M., Chadwick, A. V., Harrison, A., & Bruce, P. G. (2006). Synthesis of Ordered Mesoporous Fe<sub>3</sub>O<sub>4</sub> and  $\gamma$ -Fe<sub>2</sub>O<sub>3</sub> with Crystalline Walls Using Post-Template Reduction/Oxidation. *Journal of the American Chemical Society*, 128 (39), 12905–12909.
- [28] Wang, G., Wang, C., Dou, W., Ma, Q., Yuan, P., & Su, X. (2009). The Synthesis of Magnetic and Fluorescent Bi-functional Silica Composite Nanoparticles via Reverse Microemulsion Method. *Journal of Fluorescence*, 19 (6), 939–946.
- [29] Han, Y. C., Cha, H. G., Kim, C. W., Kim, Y. H., & Kang, Y. S. (2007). Synthesis of Highly Magnetized Iron Nanoparticles by a Solventless Thermal Decomposition Method. *The Journal of Physical Chemistry C*, 111 (17), 6275–6280.
- [30] Kang, M. (2003). Synthesis of Fe/TiO<sub>2</sub> photocatalyst with nanometer size by solvothermal method and the effect of H<sub>2</sub>O addition on structural stability and photodecomposition of methanol. *Journal of Molecular Catalysis A: Chemical*, 197 (1-2), 173–183.
- [31] Ai, L., Zhang, C., & Chen, Z. (2011). Removal of methylene blue from aqueous solution by a solvothermal-synthesized graphene/magnetite composite. *Journal of Hazardous Materials*, 192 (3), 1515–1524.
- [32] Teja, A. S., & Koh, P.-Y. (2009). Synthesis, properties, and applications of magnetic iron oxide nanoparticles. *Progress in Crystal Growth and Characterization of Materials*, 55 (1-2), 22–45.
- [33] Taniguchi, I. (2005). Powder properties of partially substituted LiM<sub>x</sub>Mn<sub>2-x</sub>O<sub>4</sub> (M=Al, Cr, Fe and Co) synthesized by ultrasonic spray pyrolysis. *Materials Chemistry and Physics*, 92 (1), 172–179.
- [34] Kolahalam, L. A., KasiViswanath, I. V., Diwakar, B. S., Govindh, B., Reddy, V., & Murthy, Y. L. N. (2019). Review on nanomaterials: Synthesis and applications. *Materials Today: Proceedings*. doi: 10.1016/j.matpr.2019.07.371.
- [35] Polshettiwar, V., Baruwati, B., & Varma, R. S. (2009). Self-Assembly of Metal Oxides into Three-Dimensional Nanostructures: Synthesis and Application in Catalysis. *ACS Nano*, 3 (3), 728–736.
- [36] Wei, H., Yang, W., Xi, Q., & Chen, X. (2012). Preparation of Fe<sub>3</sub>O<sub>4</sub>@graphene oxide core-shell magnetic particles for use in protein adsorption. *Materials Letters*, 82, 224–226.
- [37] Bychko, I. B., Kalishin, E. Y., & Strizhak, P. E. (2011). Effect of the size of Fe@Fe<sub>3</sub>O<sub>4</sub> nanoparticles deposited on carbon nanotubes on their oxidation-reduction characteristics. *Theoretical and Experimental Chemistry*, 47 (4), 219–224.
- [38] Kelly, C. H. W., & Lein, M. (2016). Choosing the right precursor for thermal decomposition solution-phase synthesis of iron nanoparticles: tunable dissociation energies of ferrocene derivatives. *Physical Chemistry Chemical Physics*, 18 (47), 32448–32457.
- [39] Khan, Kishwar&Rehman, Sarish& Rahman, Hafeez& Khan, Qasim. (2014). Synthesis and application of magnetic nanoparticles.
- [40] Odularu, A. T. (2018). Metal Nanoparticles: Thermal Decomposition, Biomedical Applications to Cancer Treatment, and Future Perspectives. *Bioinorganic Chemistry and Applications*, 2018, 1–6.
- [41] MAITY, D., DING, J., & XUE, J.-M. (2008). Synthesis Of Magnetite Nanoparticles By Thermal Decomposition: Time, Temperature, Surfactant And Solvent Effects. *Functional Materials Letters*, 01 (03), 189–193.
- [42] Salazar-Alvarez, G., Qin, J., S epelák, V., Bergmann, I., Vasilakaki, M., Trohidou, K. N., ...Nogués, J. (2008). Cubic versus Spherical Magnetic Nanoparticles: The Role of Surface Anisotropy. *Journal of the American Chemical Society*, 130 (40), 13234–13239.
- [43] Obaidat, I. M., Narayanaswamy, V., Alaabed, S., Sambasivam, S., & MuraleeGopi, C. V. V. (2019). Principles of Magnetic Hyperthermia: A Focus on Using Multifunctional Hybrid Magnetic Nanoparticles. *Magnetochemistry*, 5 (4), 67.
- [44] Rabenau, A. (1985). The Role of Hydrothermal Synthesis in Preparative Chemistry. *Angewandte Chemie International Edition in English*, 24 (12), 1026–1040.
- [45] Adschiri, T., Hakuta, Y., Sue, K., & Arai, K. (2001). Hydrothermal synthesis of metal oxide nanoparticles at supercritical conditions. *Journal of Nanoparticle Research*, 3, 227–235.
- [46] Yu, J., & Yu, X. (2008). Hydrothermal Synthesis and Photocatalytic Activity of Zinc Oxide Hollow Spheres. *Environmental Science & Technology*, 42 (13), 4902–4907.
- [47] Yang, T., Li, Y., Zhu, M. Y., Li, Y. B., Huang, J., Jin, H. M., & Hu, Y. M. (2010). Room-temperature ferromagnetic Mn-doped ZnO nanocrystal synthesized by hydrothermal method under high magnetic field. *Materials Science and Engineering: B*, 170 (1-3), 129–132.

- [48] Hu, J. Q., & Bando, Y. (2003). Growth and optical properties of single-crystal tubular ZnO whiskers. *Applied Physics Letters*, 82 (9), 1401–1403.
- [49] Wang, X., Zhuang, J., Peng, Q., & Li, Y. (2005). A general strategy for nanocrystal synthesis. *Nature*, 437 (7055), 121–124.
- [50] Daou, T. J., Pourroy, G., Bégin-Colin, S., Grenèche, J. M., Ulhaq-Bouillet, C., Legaré, P., ...Rogez, G. (2006). Hydrothermal Synthesis of Monodisperse Magnetite Nanoparticles. *Chemistry of Materials*, 18 (18), 4399–4404.
- [51] Barick, K. C., & Hassan, P. A. (2012). Glycine passivated Fe<sub>3</sub>O<sub>4</sub> nanoparticles for thermal therapy. *Journal of Colloid and Interface Science*, 369 (1), 96–102.
- [52] Bhayani, K. R., Rajwade, J. M., & Paknikar, K. M. (2012). Radio frequency induced hyperthermia mediated by dextran stabilized LSMO nanoparticles: invitroevaluation of heat shock protein response. *Nanotechnology*, 24 (1), 015102.
- [53] Thorat, N. D., Otari, S. V., Patil, R. M., Khot, V. M., Prasad, A. I., Ningthoujam, R. S., & Pawar, S. H. (2013). Enhanced colloidal stability of polymer coated La<sub>0.7</sub>Sr<sub>0.3</sub>MnO<sub>3</sub> nanoparticles in physiological media for hyperthermia application. *Colloids and Surfaces B: Biointerfaces*, 111, 264–269.
- [54] Jadhav, S. V., Nikam, D. S., Khot, V. M., Thorat, N. D., Phadatare, M. R., Ningthoujam, R. S., ... Pawar, S. H. (2013). Studies on colloidal stability of PVP-coated LSMO nanoparticles for magnetic fluid hyperthermia. *New Journal of Chemistry*, 37 (10), 3121.
- [55] Jadhav, S. V., Nikam, D. S., Mali, S. S., Hong, C. K., & Pawar, S. H. (2014). The influence of coating on the structural, magnetic and colloidal properties of LSMO manganite and the heating mechanism for magnetic fluid hyperthermia application. *New Journal of Chemistry*, 38 (8), 3678.
- [56] Khoee, S., & Kavand, A. (2014). A new procedure for preparation of polyethylene glycol-grafted magnetic iron oxide nanoparticles. *Journal of Nanostructure in Chemistry*, 4 (3), 111.
- [57] Gu, H., Tadakamalla, S., Zhang, X., Huang, Y., Jiang, Y., Colorado, H. A.,... Guo, Z. (2013). Epoxy resin nanosuspensions and reinforced nanocomposites from polyaniline stabilized multi-walled carbon nanotubes. *J. Mater. Chem. C*, 1 (4), 729–743.
- [58] Li, H., Jin, Z., Cho, S., Ko, S. Y., Park, J.-O., & Park, S. (2016). Polyethylenimine-coated magnetic nanoparticles with improved biocompatibility for hyperthermia. *2016 13th International Conference on Ubiquitous Robots and Ambient Intelligence (URAI)*.
- [59] Albornoz, C., & Jacobo, S. E. (2006). Preparation of a biocompatible magnetic film from an aqueous ferrofluid. *Journal of Magnetism and Magnetic Materials*, 305 (1), 12–15.
- [60] Sahoo, Y., Goodarzi, A., Swihart, M. T., Ohulchanskyy, T. Y., Kaur, N., Furlani, E. P., & Prasad, P. N. (2005). Aqueous Ferrofluid of Magnetite Nanoparticles: Fluorescence Labeling and Magnetophoretic Control. *The Journal of Physical Chemistry B*, 109 (9), 3879–3885.
- [61] Lu, A.-H., Salabas, E. L., & Schüth, F. (2007). Magnetic Nanoparticles: Synthesis, Protection, Functionalization, and Application. *Angewandte Chemie International Edition*, 46 (8), 1222–1244.
- [62] He, H., Liu, H., Zhou, K., Wang, W., & Rong, P. (2006). Characteristics of magnetic Fe<sub>3</sub>O<sub>4</sub> nanoparticles encapsulated with human serum albumin. *Journal of Central South University of Technology*, 13 (1), 6–11.
- [63] Mikhaylova, M., Kim, D. K., Berry, C. C., Zagorodni, A., Toprak, M., Curtis, A. S. G., & Muhammed, M. (2004). BSA Immobilization on Amine-Functionalized Superparamagnetic Iron Oxide Nanoparticles. *Chemistry of Materials*, 16 (12), 2344–2354.
- [64] Lewin, M., Carlesso, N., Tung, C.-H., Tang, X.-W., Cory, D., Scadden, D. T., & Weissleder, R. (2000). Tat peptide-derivatized magnetic nanoparticles allow in vivo tracking and recovery of progenitor cells. *Nature Biotechnology*, 18 (4), 410–414.
- [65] Tiefenauer, L. X., Kuehne, G., & Andres, R. Y. (1993). Antibody-magnetite nanoparticles: In vitro characterization of a potential tumor-specific contrast agent for magnetic resonance imaging. *Bioconjugate Chemistry*, 4 (5), 347–352.
- [66] Nam, J. M., Stoeva, S. I., & Mirkin, C. A. (2004). Bio-Bar-Code-Based DNA Detection with PCR-like Sensitivity. *J. Am. Chem. Soc.* 126, 5932 (2004).
- [67] Weizmann, Y., Patolsky, F., Lioubashevski, O., & Willner, I. (2004). Magneto-Mechanical Detection of Nucleic Acids and Telomerase Activity in Cancer Cells. *Journal of the American Chemical Society*, 126 (4), 1073–1080.
- [68] Wu, W., He, Q., & Jiang, C. (2008). Magnetic Iron Oxide Nanoparticles: Synthesis and Surface Functionalization Strategies. *Nanoscale Research Letters*, 3 (11), 397–415.
- [69] Chunfu, Z., Jinquan, C., Duanzhi, Y., Yongxian, W., Yanlin, F., & Jiajü, T. (2004). Preparation and radiolabeling of human serum albumin (HSA)-coated magnetite nanoparticles for magnetically targeted therapy. *Applied Radiation and Isotopes*, 61 (6), 1255–1259.
- [70] Josephson, L., Perez, J. M., & Weissleder, R. (2001). Magnetic Nanosensors for the Detection of Oligonucleotide Sequences. *Angewandte Chemie International Edition*, 40 (17), 3204–3206.
- [71] Rosi, N. L., & Mirkin, C. A. (2005). Nanostructures in Biodiagnostics. *Chemical Reviews*, 105 (4), 1547–1562.
- [72] Yi, D. K., Selvan, S. T., Lee, S. S., Papaefthymiou, G. C., Kundaliya, D., & Ying, J. Y. (2005). Silica-Coated Nanocomposites of Magnetic Nanoparticles and Quantum Dots. *Journal of the American Chemical Society*, 127 (14), 4990–4991.
- [73] Mandal, M., Kundu, S., Ghosh, S. K., Panigrahi, S., Sau, T. K., Yusuf, S. M., & Pal, T. (2005). Magnetite nanoparticles with tunable gold or silver shell. *Journal of Colloid and Interface Science*, 286 (1), 187–194.
- [74] Wang, Z., Guo, H., Yu, Y., & He, N. (2006). Synthesis and characterization of a novel magnetic carrier with its composition of Fe<sub>3</sub>O<sub>4</sub>/carbon using hydrothermal reaction. *Journal of Magnetism and Magnetic Materials*, 302 (2), 397–404.
- [75] Stoeva, S. I., Huo, F., Lee, J.-S., & Mirkin, C. A. (2005). Three-Layer Composite Magnetic Nanoparticle Probes for DNA. *Journal of the American Chemical Society*, 127 (44), 15362–15363.

- [76] Juzenas, P., Generalov, R., Juzeniene, A., & Moan, J. (2008). Generation of Nitrogen Oxide and Oxygen Radicals by Quantum Dots. *Journal of Biomedical Nanotechnology*, 4 (4), 450–456.
- [77] Li, Y., Liu, Y., Tang, J., Lin, H., Yao, N., Shen, X., ... Zhang, X. (2007). Fe<sub>3</sub>O<sub>4</sub>@Al<sub>2</sub>O<sub>3</sub> magnetic core-shell microspheres for rapid and highly specific capture of phosphopeptides with mass spectrometry analysis. *Journal of Chromatography A*, 1172 (1), 57–71.
- [78] Li, Y., Wu, J., Qi, D., Xu, X., Deng, C., Yang, P., & Zhang, X. (2008). Novel approach for the synthesis of Fe<sub>3</sub>O<sub>4</sub>@TiO<sub>2</sub> core-shell microspheres and their application to the highly specific capture of phosphopeptides for MALDI-TOF MS analysis. *Chem. Commun.*, (5), 564–566.
- [79] Wang, Q., Lin, T., Tang, L., Johnson, J. E., & Finn, M. G. (2002). Icosahedral Virus Particles as Addressable Nanoscale Building Blocks. *Angewandte Chemie International Edition*, 41 (3), 459–462.
- [80] Schubert, R., Herzog, S., Trenholm, S., Roska, B., & Müller, D. J. (2019). Magnetically guided virus stamping for the targeted infection of single cells or groups of cells. *Nature Protocols*. doi: 10.1038/s41596-019-0221-z.
- [81] Perez, J. M., Simeone, F. J., Saeki, Y., Josephson, L., & Weissleder, R. (2003). Viral-Induced Self-Assembly of Magnetic Nanoparticles Allows the Detection of Viral Particles in Biological Media. *Journal of the American Chemical Society*, 125 (34), 10192–10193.
- [82] Hao, R., Xing, R., Xu, Z., Hou, Y., Gao, S., & Sun, S. (2010). Synthesis, Functionalization, and Biomedical Applications of Multifunctional Magnetic Nanoparticles. *Advanced Materials*, 22 (25), 2729–2742.
- [83] Frey, N. A., Peng, S., Cheng, K., & Sun, S. (2009). Magnetic nanoparticles: synthesis, functionalization, and applications in bioimaging and magnetic energy storage. *Chemical Society Reviews*, 38 (9), 2532.
- [84] Mukundan, H., Anderson, A., Grace, W. K., Grace, K., Hartman, N., Martinez, J., & Swanson, B. (2009). Waveguide-Based Biosensors for Pathogen Detection. *Sensors*, 9 (7), 5783–5809.
- [85] Lu, X., Dong, X., Zhang, K., Han, X., Fang, X., & Zhang, Y. (2013). A gold nanorods-based fluorescent biosensor for the detection of hepatitis B virus DNA based on fluorescence resonance energy transfer. *The Analyst*, 138 (2), 642–650.
- [86] Li, M., Cushing, S. K., Liang, H., Suri, S., Ma, D., & Wu, N. (2013). Plasmonic Nanorice Antenna on Triangle Nanoarray for Surface-Enhanced Raman Scattering Detection of Hepatitis B Virus DNA. *Analytical Chemistry*, 85 (4), 2072–2078.
- [87] Lazerges, M., & Bedioui, F. (2013). Analysis of the evolution of the detection limits of electrochemical DNA biosensors. *Analytical and Bioanalytical Chemistry*, 405 (11), 3705–3714.
- [88] Iost, R. M., Madurro, J. M., Brito-Madurro, A. G., Nantes, I. L., Caseli, L., Crespilho, F. N. (2011). Strategies of nano-manipulation for application in electrochemical biosensors. *Int J Electrochem Sci*. 6 (7), 2965–2997.
- [89] Wang, R., & Li, Y. (2013). Hydrogel based QCM aptasensor for detection of avian influenza virus. *Biosensors and Bioelectronics*, 42, 148–155.
- [90] Dultsev, F. N., & Tronin, A. V. (2015). Rapid sensing of hepatitis B virus using QCM in the thickness shear mode. *Sensors and Actuators B: Chemical*, 216, 1–5.
- [91] Timurdogan, E., Alaca, B. E., Kavakli, I. H., & Urey, H. (2011). MEMS biosensor for detection of Hepatitis A and C viruses in serum. *Biosensors and Bioelectronics*, 28 (1), 189–194.
- [92] Inci, F., Tokel, O., Wang, S., Gurkan, U. A., Tasoglu, S., Kuritzkes, D. R., & Demirci, U. (2013). Nanoplasmonic Quantitative Detection of Intact Viruses from Unprocessed Whole Blood. *ACS Nano*, 7 (6), 4733–4745.
- [93] Riedel, T., Rodriguez-Emmenegger, C., de los Santos Pereira, A., Bědajánková, A., Jinoch, P., Boltovets, P. M., & Brynda, E. (2014). Diagnosis of Epstein-Barr virus infection in clinical serum samples by an SPR biosensor assay. *Biosensors and Bioelectronics*, 55, 278–284.
- [94] Yang, S. Y., Wang, W. C., Lan, C. B., Chen, C. H., Chieh, J. J., Horng, H. E., ... Chung, W. C. (2010). Magnetically enhanced high-specificity virus detection using bio-activated magnetic nanoparticles with antibodies as labeling markers. *Journal of Virological Methods*, 164 (1-2), 14–18.
- [95] Baselt, D. R., Lee, G. U., Natesan, M., Metzger, S. W., Sheehan, P. E., & Colton, R. J. (1998). A biosensor based on magnetoresistance technology. This paper was awarded the Biosensors & Bioelectronics Award for the most original contribution to the Congress. *I. Biosensors and Bioelectronics*, 13 (7-8), 731–739.
- [96] Schotter, J., Kamp, P., Becker, A., Pühler, A., Reiss, G., & Brückl, H. (2004). Comparison of a prototype magnetoresistive biosensor to standard fluorescent DNA detection. *Biosensors and Bioelectronics*, 19 (10), 1149–1156.
- [97] Millen, R. L., Kawaguchi, T., Granger, M. C., Porter, M. D., & Tondra, M. (2005). Giant Magnetoresistive Sensors and Superparamagnetic Nanoparticles: A Chip-Scale Detection Strategy for Immunosorbent Assays. *Analytical Chemistry*, 77 (20), 6581–6587.
- [98] Hall, D. A., Gaster, R. S., Lin, T., Osterfeld, S. J., Han, S., Murmann, B., & Wang, S. X. (2010). GMR biosensor arrays: A system perspective. *Biosensors and Bioelectronics*, 25 (9), 2051–2057.
- [99] Loureiro, J., Ferreira, R., Cardoso, S., Freitas, P. P., Germano, J., Fermon, C., ... Rivas, J. (2009). Toward a magnetoresistive chip cytometer: Integrated detection of magnetic beads flowing at cm/s velocities in microfluidic channels. *Applied Physics Letters*, 95 (3), 034104.
- [100] Gaster, R. S., Xu, L., Han, S.-J., Wilson, R. J., Hall, D. A., Osterfeld, S. J., ... Wang, S. X. (2011). Quantification of protein interactions and solution transport using high-density GMR sensor arrays. *Nature Nanotechnology*, 6 (5), 314–320.
- [101] Wang, W., Wang, Y., Tu, L., Feng, Y., Klein, T., & Wang, J.-P. (2014). Magnetoresistive performance and comparison of supermagnetic nanoparticles on giant magnetoresistive sensor-based detection system. *Scientific Reports*, 4 (1): 5716.
- [102] Binasch, G., Grünberg, P., Saurenbach, F., & Zinn, W. (1989). Enhanced magnetoresistance in layered magnetic structures with antiferromagnetic interlayer exchange. *Physical Review B*, 39 (7), 4828–4830.
- [103] Krishna, V. D., Wu, K., Perez, A. M., & Wang, J.-P. (2016). Giant Magnetoresistance-based Biosensor for Detection of Influenza A Virus. *Frontiers in Microbiology*, 7.

[104] Nabaei, V., Chandrawati, R., & Heidari, H. (2018). Magnetic biosensors: Modelling and simulation. *Biosensors and Bioelectronics*, 103, 69–86.

[105] Zhang, X., Reeves, D. B., Perreard, I. M., Kett, W. C.,

Griswold, K. E., Gimi, B., & Weaver, J. B. (2013). Molecular sensing with magnetic nanoparticles using magnetic spectroscopy of nanoparticle Brownian motion. *Biosensors and Bioelectronics*, 50, 441–446.