

Investigating Causes of Construction Delay in Ethiopian Construction Industries

Werku Koshe^{1,*}, K. N. Jha²

¹Dept. of Construction Technology & Management, Dire Dawa Institute of Technology, Dire Dawa, Ethiopia

²Dept. of Civil Engineering, Indian Institute of Technology, Delhi, Hauz Khas, New Delhi, India

Email address:

Werku.koshe@yahoo.com (W. Koshe), knjha@civil.iitd.ac.in (K. N. Jha)

To cite this article:

Werku Koshe, K. N. Jha. Investigating Causes of Construction Delay in Ethiopian Construction Industries. *Journal of Civil, Construction and Environmental Engineering*. Vol. 1, No. 1, 2016, pp. 18-29. doi: 10.11648/j.jccee.20160101.13

Received: October 17, 2016; **Accepted:** November 4, 2016; **Published:** December 2, 2016

Abstract: Construction delays are occurring in every phase of a construction project and are common problems in construction projects in Ethiopia. Moreover, it is well known that the delays in construction projects are the major causes of project failure. If the delay is not identified and the corrective project management decision is not taken in time a project may incur extra cost and extension of project time, which gives rise to dissatisfaction to all the parties involved and nowadays it's becoming a major obstruction for their development for developing countries like Ethiopia. This research first identified 88 key factors causing delay in Ethiopian construction industries, and then the most common and critical causes of construction delay were evaluated by using both the data collected in a survey of construction managers, resident engineers, contractors, and clients, and interviews with senior professionals in the field. The findings show that the main critical factors that cause construction delays in Ethiopia are: (1) Difficulties in financing project by a contractor; (2) Escalation of the materials price; (3) Ineffective project planning; (4) Scheduling or resource management; (5) Delay in progress payments for completed works; (6) Lack of skilled professionals in the field of construction management in the organization, and (7) Fluctuating labor availability season to season /Seasonal labors availability. This study shows that in Ethiopia only 8.25% projects have been finished to the original targeted completion date. The remaining 91.75% delayed 352% of its contractual time. This paper finally came up with solutions towards reducing the impact of delays on construction projects in Ethiopia.

Keywords: Construction Delay, Delay Causes, Top-Ten Delay Factors

1. Introduction and Literature Review

A construction project is commonly acknowledged as successful, when it is completed on schedule and within the agreed budget, with the highest quality and in the safest manner, in accordance with the specifications and to stakeholders' satisfaction. Functionality, profitability to contractors, absence of claims and court proceeding and "fitness for purpose" for occupiers have also been used as measures of project success [3].

For any public or private construction firms, upgrading the project performance can be taken as one of their main objectives. This can be achieved by reducing cost, finishing projects on schedule and increasing quality.

Public construction projects in Ethiopia are parts of the country's development initiative. It shares considerable amount of the country's scarce financial resources. In

Ethiopia, the construction industry is the highest recipient of government budget in terms of government development program. Consequently, public construction projects consume an average annual rate of nearly 60% of the government's capital budget [4].

Construction delays can be defined as the late completion of work compared to the planned schedule or contract schedule. Construction delays can be minimized only when their causes are identified. [26], [28] defined the word "delay" as something happening at a later time than planned, expected, specified in a contract or beyond the date that the parties agreed upon for the delivery of a project. [19] Define delay as the slowing down of work without stopping construction entirely and that can lead to time overrun either beyond the contract date or beyond the date that the parties have agreed upon for the delivery of the project. [25] Classify delays into non-excusable delays, excusable with-compensable delays, excusable without compensable delays

and concurrent delays. Non-excusable delays are delays, which the contractor either causes or assumes the risk for. Excusable without compensable delays are delays caused by factors that are not foreseeable, beyond the contractor's reasonable control and not attributable to the contractor's fault or negligence. Excusable with compensable delays these are compensable delays are excusable delays, suspensions, or interruptions to all or part of the work caused by an act or failure to act by the owner resulting from owner's breach of an obligation, stated or implied, in the contract. Concurrent delays occur when both owner and the contractor are responsible for the delay. Delay or extension of time: the contractor will be accountable for damages if the actual completion date of the works occurs after the agreed completion date unless the delay is caused by a matter for which an extension of time is available and the contractor complies with the notice and other requirements under the contract. [25].

The construction industry is very large, complex, and requires huge capital investments. Delay in the completion of a construction project are one of the biggest problems facing by the construction industry and can be a major problem for construction's project participant leading to costly disputes and adverse relationships amongst project participants.

Delays occur in every construction project and the significant of these delays varies considerably from project to project. Many researchers have studied the causes of project delays in public construction industry. The findings of such studies have been reviewed for this research.

[13] Identified 16 major factors that caused delays and cost overruns in Nigeria. A questionnaire survey was carried out with contractors, consultants and client organizations in Nigeria. They presented that the causes of delay and cost overruns in Nigerian construction projects were attributed to finance and payment arrangements, poor contract management, shortages in materials, inaccurate estimation, and overall price fluctuations.

[2] Identified 56 main causes of delay in Saudi large building construction projects and their relative importance. Based on the contractors surveyed the most important delay factors were: preparation and approval of shop drawings, delays in contractor's progress, payment by owners and design changes. From the view of the architects and engineers the cash problems during construction, the relationship between subcontractors and the slow decision making process of the owner were the main causes of delay. However, the owners agreed that the design errors, labor shortages and inadequate labor skills were important delay factors.

[11] Carried out a research to find out the causes of delays in construction industry in Lebanon. A total of 64 causes of delays were identified through research in which client, contractor and consultant were undertaken the study. All three parties generally agreed on the ranking of the major categories of delay factors. Owners had more concerns with regard to financial issues, while contractors ranked contractual relationships highest, and finally, consultants

firms ranked project management highest. These causes were categorized in 10 main groups: materials, manpower, equipment, financing, changes, government relations, project management, site conditions, environment and contractual relationships.

[6] Identify the most important causes of delay in construction projects with traditional type contracts from the viewpoint of construction contractors and consultants. Results of their survey indicates that contractors and consultants agreed that owner interference, inadequate contractor experience, financing and payments, labor productivity, slow decision making, improper planning, and subcontractors are among the top ten most important factors.

[2] Conducted a time performance survey of different types of construction projects in Eastern Province of Saudi Arabia to determine the causes of delay and their importance according to each project participant (owner, consultant, and contractor). It was concluded that 70% of projects experience time overrun. The survey was conducted with 23 contractor's, 19 consultant and 15 owners. They identified seventy-three (73) causes of delay and grouped them into nine classes during the research. The most common cause of delay identified by all three parties was "change order. The overall results are stated that the factor related to labor, contractor, project owner and consultant are in the highest rank.

[27] Studied problems related to delays and cost overruns during construction phase and they identified that the cause for construction delays and cost overruns in overall context are poor site management and supervision, poor project management assistance, financial difficulties of owner, financial difficulties of contractor and design changes are the five most frequent, severe and important causes.

[9] Conducted a quantitative analysis of construction delays by examining the records of 130 public building projects constructed in Jordan during the period of 1990-1997. The researcher presented regression models of the relationship between actual and planned project duration for different types of building facilities. The analysis also included the reported frequencies of time extensions for the different causes of delays. The researcher concluded that the main causes of delay in construction projects relate to designers, user changes, weather, site conditions, late deliveries, economic conditions, and increase in quantities.

2. Research Methodology

After critically reviewed the existing literatures related to causes of construction delay (CCD) in construction projects, 88 CCD factors were identified under eight broad categories namely client related, consultant/supervisor related, contractor related, designer related, labor related material related equipment, and external related. This identified CCD factors adopted for the present work (CCD in Ethiopian public building construction project) to design the questionnaire. The questionnaire were designed to assess the opinion of clients, design engineers, consultants, and contractors on the relative importance of causes of delay in

Ethiopian public building construction and the questionnaire was designed in order to evaluate the frequency of occurrence and degree of severity of the identified 88 causes of delay factors. In the process of the questionnaire design two parameters are selected; that used to measure the frequency of occurrence and degree of severity. In the questionnaire design for frequency of occurrence of adopted CCDF 1 to 5 Likert scale (LS) (1 for never and 5 for always) was assigned. For degree of severity level also 1 to 5 LS (1 for less, 5 for extreme).

The collected data was analyzed by using severity index,

3. Result and Discussion

3.1. Response Rate

Table 1. Response Rate.

Population(N)	Sample(n)	No. of distributed sample	Number of response collected	No. of valid response	Response rate
152	110	83	56	51	61.44%

The above table 1 shows that 83 questionnaires were distributed to respondents. 56 responses are collected. Out of 56 collected responses only 51 were valid. This is because; the respondents did not properly fill 5 questionnaires. The response rate of respondents having different experience is shown in the graph and table 2. Maximum responses come

frequency index, and an important index. The analysis included ranking of CCD factors and sources of delay factors. Discussion of the results was based on personal interviews that were conducted to clarify responses. Interviewees were experts from the Association of Construction Contractors and the Ministry of Housing and Public Works. The scope of this research includes public building construction in Ethiopia. The population consists of all the owners, consultants, and contractors in the public building construction in Ethiopia.

from people having experience of 5-10 years (35.29%) and 10 – 15 years (35.29%). The average experience of the respondents is about 12 years. The sample consisted of project and site managers, resident engineers, architects, structural engineers, service engineers, contract administrators, design managers and construction managers.

Table 2. Working Experience of the Respondents.

Experience		0 to 5yrs.	5 to 10yrs.	10 to 15yrs.	15 to 20yrs.	20 to 25yrs.	Work exp.= >25yrs.	TOTAL
Clients	No.	3	7	5	1	1	1	18
	%	16.67	38.89	27.78	5.56	5.56	5.56	100
Consultants	No.	2	6	5	0	0	2	15
	%	13.33	40.00	33.33	0.00	0.00	13.33	100
Contractors	No.	1	5	8	1	2	1	18
	%	5.56	27.78	44.44	5.56	11.11	5.56	100
Total	No.	6	18	18	2	3	4	51
Percentage of Respondents	%	11.76	35.29	35.29	3.92	5.88	7.84	100.00

3.2. Ranking of Delay Factors

[2], [1] Mean and standard deviation of each individual factor is not a suitable measure to assess overall rankings as they do not reflect any relationship between them and hence I. I (Importance Index) was used for the study which can be calculated using the following equation:

$$\text{Frequency Index (F.I \%)} = \sum_{i=1}^5 \left(\frac{a_{if} \times n_{if}}{5 \times N} \right) \times 100$$

$$\text{Severity Index (S.I \%)} = \sum_{i=1}^5 \left(\frac{a_{is} \times n_{is}}{5 \times N} \right) \times 100$$

$$\text{Importance Index (I.I) (\%)} = \frac{F.I \times S.I}{100}$$

Where a_{if} and a_{is} are numbers of respondents who choose a certain frequency and severity degree respectively, n_{if} and n_{is} are degrees of frequency and severity respectively (1 or 2 or 3 or 4 or 5), N is total number of respondents. The top ten

delay causes that are ranked according to Frequency Index (F.I), Severity Index (S. I), and Importance Index (I. I) are shown in Table 3, 4, & 5. From clients, consultants/supervisors, and contractors point of view top 10 constructions delay factors are identified. Among the listed top ten delay factors the most frequent and most critical delay factors are difficulties in financing project by contractors, escalation of material price, ineffective project planning, scheduling and resource management, delay in progress payment for completed works, and lack of skilled professional in construction projects organization.

3.2.1. From Owners/Client's Point of View

From clients point of view uppermost 10-construction delay factors are listed in table 3. Among the listed top ten delay factors the most frequent and most critical delay factors are an escalation of material price and difficulties in financing project by contractors.

Table 3. Ranking of causes of delay by Client side.

Delay factors	Categories	FO		DS		Importance Index	
		FI	RANK	SI	RANK	RII	RANK
DF67 Escalation of materials price	Material	87.06	2	90.59	1	78.87	1
DF32 Difficulties in financing project by contractor	Contractor	88.24	1	84.71	5	74.74	2
DF49 In sufficient data collection and survey before design	Designer	83.53	6	89.41	2	74.69	3
DF37 Supplying poor quality material by contractor	Contractor	85.88	3	84.71	5	72.75	4
DF29 Lack of skilled professional in construction PM(project management) in the organization	Contractor	83.53	6	87.06	3	72.72	5
DF30 Infective project planning, scheduling or resource management	Contractor	84.71	4	84.71	5	71.75	6
DF42 Poor site management and supervision	Contractor	84.71	4	82.35	9	69.76	7
DF23 Preparing Incomplete/un detailed BOQ	Consultant/Supervisor	78.82	10	85.88	4	67.70	8
DF63 Unqualified/inadequate experienced labour	Labour	81.18	9	81.18	10	65.90	9
DF74 Shortage of equipment	Equipment	76.47	13	84.71	5	64.78	10

3.2.2. From Consultants Point of View

From consultants/supervisors point of view top 10 construction delay factors are listed in table 4. Among the listed top ten delay factors the most frequent and most critical delay factors are difficulties in financing project by contractors and ineffective project planning, scheduling and resource management.

Table 4. Ranking of causes of delay by Consultant side.

Delay factors	Categories	FO		DS		Importance Index	
		FI	RANK	SI	RANK	RII	RANK
DF32 Difficulties in financing project by contractor	Contractor	85.33	1	88.00	1	75.09	1
DF30 Infective project planning, scheduling or resource management	Contractor	80.00	3	88.00	1	70.40	2
DF58 Low productivity of labour	Labour	78.67	4	82.67	4	65.03	3
DF67 Escalation of materials price	Material	81.33	2	77.33	9	62.90	4
DF37 Supplying poor quality material by contractor	Contractor	76.00	5	82.67	4	62.83	5
DF29 Lack of skilled professional in construction PM(project management)in the organization	Contractor	74.67	8	84.00	3	62.72	6
DF41 Poor coordination and communication with other parties	Contractor	76.00	5	76.00	12	57.76	7
DF68 Fluctuatinglaborsavailabilityseasonotoseason/Seasonallaborsavailability	Labour	73.33	10	77.33	9	56.71	8
DF85 Price fluctuations	Material	70.67	12	78.67	6	55.59	9
DF68 Late delivery of materials	Material	73.33	10	74.67	13	54.76	10

3.2.3. From Contractors Point of View

From contractors point of view Top-10 construction delay factors are listed in table 5. Among the listed top ten delay factors the most frequent and most critical delay factors are delay in progress payments for completed work and fluctuating labors availabilities season to season (seasonal labors availabilities).

Table 5. Ranking of causes of delay by Contractor side.

Delay factors	Categories	FO		DS		Importance Index	
		FI	RANK	SI	RANK	RII	RANK
DF14 Delay in progress payments for completed works	Client	88.89	1	86.67	2	77.04	1
DF55 Fluctuating labors availability season to season/Seasonal labors availability	Labour	87.78	2	84.44	3	74.12	2
DF68 Late delivery of materials	Material	83.33	3	82.22	6	68.52	3
DF32 Difficulties in financing project by contractor	Contractor	74.44	13	87.78	1	65.35	4
DF13 Type of project bidding and award i.e. negotiation, lowest bidder.	Client	78.89	4	82.22	6	64.86	5
DF1 Bureaucracy (Excessively complicated administrative procedure)	Client	77.78	8	82.22	6	63.95	6
DF67 Escalation of materials price	Material	77.78	8	81.11	9	63.09	7
DF54 Unclear and inadequate details in drawings	Designers	78.89	4	78.89	13	62.23	8
DF70 Poor quality of construction materials	Material	77.78	8	80.00	11	62.22	9
DF23 Preparing Incomplete/un detailed BOQ		78.89	4	77.78	17	61.36	10

3.2.4. Combined Results (Clients, Consultants, and Contractors)

The combined results show that the delay in construction projects is mostly occurred by the difficulty financing by contractors, escalation of materials price, ineffective project planning, scheduling and resource management, delay in progress payment for completed works, lack of skilled professional in construction projects organization, fluctuating labors availabilities season to season (seasonal labors availabilities), late delivery of materials, low productivity of labors, lack of technical experience of employees and insufficient data collection and survey. As shown in table 6:

Table 6. Ranking of causes of delay by all parties (combined).

Construction Delay	Delay factors	Categories	Frequency of Occurrence		Degree of Severity		Importance Index	
			FI	RANK	SI	RANK	RII	RANK
DF32	Difficulties in financing project by contractor	Contractor	80.78	1	85.10	1	68.75	1
DF67	Escalation of materials price	Material	80.39	2	81.57	4	65.57	2
DF30	Infective project planning, scheduling or resource management	Contractor	77.25	5	83.53	2	64.53	3
DF14	Delay in progress payments for completed works	Clients	78.43	4	80.39	5	63.05	4
DF29	Lack of skilled professional in construction PM(project management) in the organization	Contractor	74.90	7	83.53	2	62.57	5
DF55	Fluctuating labours availability season to season/ Seasonal labours availability	Labour	78.82	3	76.86	6	60.59	6
DF68	Late delivery of materials	Material	75.29	5	77.65	5	58.46	7
DF58	Low productivity of labour	Labour	73.33	7	74.90	9	54.93	8
DF63	Unqualified/inadequate experienced labour	Labour	72.94	10	64.28	11	46.89	9
DF49	Insufficient data collection and survey before design	Designers	71.37	14	65.64	8	46.85	10

Table 7. Ranking of causes of delay by all parties (combined).

No.	Delay Factors	Category	F.I	Rank	S.I	Rank	IMP.I	Rank
DF1	Bureaucracy (Excessively complicated administrative procedure)	Clients	68.24	22	70.59	28	48.17	21
DF2	In adequate client' finance	Clients	59.22	60	66.27	46	39.24	52
DF3	Delay in site delivery	Clients	60.00	56	60.00	65	36.00	63
DF4	Change/ Variations order	Clients	73.33	8	65.10	48	47.74	22
DF5	Late approval for payment	Clients	63.53	39	71.37	22	45.34	34
DF6	Regular interference, poor communication and coordinate on with other parties	Clients	60.78	50	61.57	61	37.42	59
DF7	Improper project feasibility study	Clients	53.73	71	58.43	70	31.39	70
DF8	Lack of competent representative	Clients	60.78	50	63.14	56	38.38	54
DF9	Lack of experience of owner in construction project	Clients	59.61	58	60.39	63	36.00	64
DF10	Lack of incentive for contractors to finish ahead of schedule	Clients	69.02	19	59.61	67	41.14	45
DF11	Slowness in decision making	Clients	72.55	11	72.55	17	52.63	12
DF12	Suspension of work by the owner	Clients	47.06	83	59.61	67	28.05	78
DF13	Type of project bidding and award i.e.negotiation, lowest bidder.	Clients	68.24	22	68.24	35	46.56	25
DF14	Delay in progress payments for completed works	Clients	78.43	4	80.39	5	63.05	4
DF15	Corruption	Supervisor/ Consulate	54.12	70	60.00	65	32.47	69
DF16	Wrongtimeestimate(i.e.scheduleddurationisnotenoughforconstructin gtheproject)	Supervisor/ Consulate	67.45	26	74.12	12	49.99	19
DF17	Lack of technical professional in the consulting organization	Supervisor/ Consulate	66.67	28	70.98	26	47.32	23
DF18	Lack of experience of staff in management and technical inspection	Supervisor/ Consulate	63.53	39	68.63	33	43.60	39
DF19	Conflicts between consultant and design engineer	Supervisor/ Consulate	54.90	69	52.16	82	28.64	77
DF20	Delay in approving major change in the scope of work via consultant	Supervisor/ Consulate	65.49	33	71.76	20	47.00	24
DF21	Inflexibility(rigidity)of consultant	Supervisor/ Consulate	58.43	64	59.22	69	34.60	66
DF22	Change in drawing and specification	Supervisor/ Consulate	67.84	24	67.84	39	46.03	29
DF23	Preparing Incomplete/un detailed BOQ	Supervisor/ Consulate	70.98	15	73.73	13	52.33	15
DF24	Late in reviewing and approving design document	Supervisor/ Consulate	63.92	37	66.67	44	42.61	42
DF25	In accurate site inspection	Supervisor/ Consulate	60.00	56	63.92	51	38.35	55
DF26	In adequate site investigation	Supervisor/ Consulate	60.78	50	67.06	43	40.76	48
DF27	Delay in performing testing and inspection	Supervisor/ Consulate	59.61	58	61.96	60	36.93	60

No.	Delay Factors	Category	F.I	Rank	S.I	Rank	IMP.I	Rank
DF28	Poor coordination and communication with other parties	Supervisor/ Consulate	66.27	31	68.24	35	45.22	35
DF29	Lack of skilled professional in construction PM(project management) in the organization	Contractor	74.90	7	83.53	2	62.57	5
DF30	Infective project planning, scheduling or resource management	Contractor	77.25	5	83.53	2	64.53	3
DF31	Mistakes during construction and Rework due to error	Contractor	60.39	53	67.84	39	40.97	46
DF32	Difficulties in financing project by contractor	Contractor	80.78	1	85.10	1	68.75	1
DF33	Inadequate contractor experience	Contractor	62.35	45	68.24	35	42.55	43
DF34	Inappropriate construction method	Contractor	63.14	43	68.24	35	43.08	40
DF35	Centralization with top management	Contractor	67.45	26	67.84	39	45.76	31
DF36	Incompetent project team	Contractor	65.88	32	69.41	32	45.73	32
DF37	Supplying poor quality material by contractor	Contractor	70.98	15	75.69	9	53.72	11
DF38	Frequent change of subcontractors	Contractor	59.22	60	63.92	51	37.85	57
DF39	Unreliable subcontractor	Contractor	52.55	77	56.86	73	29.88	72
DF40	Lack of coordination with sub contractors	Contractor	58.82	63	64.31	49	37.83	58
DF41	Poor coordination and communication with other parties	Contractor	63.14	43	63.92	51	40.36	49
DF42	Poor site management and supervision	Contractor	70.20	17	72.16	18	50.65	16
DF43	Obsolete technology	Contractor	63.53	39	62.75	58	39.86	51
DF44	Poor health and safety	Contractor	66.67	28	62.35	59	41.57	44
DF45	Poor understanding of accounting and financial principles	Contractor	64.31	36	69.80	30	44.89	36
DF46	Complexity of projected sign	Designers	53.33	73	54.12	76	28.86	74
DF47	Design changes by owner or his agent during construction	Designers	64.71	35	68.63	33	44.41	37
DF48	Design errors made by designers	Designers	63.53	39	72.16	18	45.84	30
DF49	In sufficient data collection and survey before design	Designers	71.37	14	76.08	8	54.30	10
DF50	Lack of experience of design team in construction projects	Designers	60.39	53	66.27	46	40.02	50
DF51	Mistakes and delays in producing design documents	Designers	66.67	28	69.80	30	46.54	26
DF52	Misunderstanding of owner's requirements by design engineer	Designers	56.86	66	63.92	51	36.35	62
DF53	Poor use of advanced engineering design software	Designers	53.33	73	54.90	74	29.28	73
DF54	Unclear and inadequate details in drawings	Designers	71.76	12	73.33	14	52.63	13
DF55	Fluctuatinglaborsavailabilityseasontoseason/Seasonallaborsavailability	Labour	78.82	3	76.86	7	60.59	6
DF56	Absenteeism	Labour	60.39	53	58.43	70	35.29	65
DF57	Low motivation and morale of labour	Labour	71.76	12	72.94	15	52.35	14
DF58	Low productivity of labour	Labour	73.33	8	74.90	10	54.93	8
DF59	Personal conflicts among labour	Labour	52.16	79	52.16	82	27.20	82
DF60	Shortage of labour	Labour	68.63	21	67.45	42	46.29	28
DF61	Slow mobilization of labour	Labour	65.10	34	71.37	22	46.46	27
DF62	Strike	Labour	43.92	86	52.94	79	23.25	83
DF63	Unqualified/inadequate experienced labour	Labour	72.94	10	74.51	11	54.35	9
DF64	Change in materials type and specifications during construction	Material	59.22	60	64.31	49	38.08	56
DF65	Damage of delivered materials	Material	55.69	68	60.78	62	33.85	68
DF66	Delay in manufacturing materials	Material	61.18	48	70.20	29	42.94	41
DF67	Escalation of materials price	Material	80.39	2	81.57	4	65.57	2
DF68	Late delivery of materials	Material	75.29	6	77.65	6	58.46	7
DF69	Poor procurement of construction materials	Material	67.84	24	71.37	22	48.42	20
DF70	Poor quality of construction materials	Material	63.92	37	70.98	26	45.37	33
DF71	Unreliable suppliers	Material	57.65	65	63.92	51	36.85	61
DF72	Equipment allocation problem	Equipment	61.18	48	66.67	44	40.78	47
DF73	Frequent equipment breakdowns	Equipment	56.08	67	60.39	63	33.87	67
DF74	Improper equipment	Equipment	50.59	81	54.90	74	27.77	80
DF75	Shortage of equipment	Equipment	61.96	46	71.37	22	44.22	38
DF76	Accidents during construction	External	53.33	73	53.73	78	28.65	75
DF77	Changes in government regulations and laws	External	44.31	85	47.06	85	20.85	86
DF78	Conflict, war, and public enemy	External	36.47	88	45.88	87	16.73	88
DF79	Delay in obtaining permits from municipality	External	53.73	71	58.43	70	31.39	70
DF80	Delay in providing services from utilities(such as water, electricity)	External	69.02	19	72.94	15	50.34	17
DF81	Global financial crisis	External	52.55	77	52.94	79	27.82	79
DF82	Loss of time by traffic control and restriction at job site	External	47.45	82	45.88	87	21.77	84
DF83	Natural disasters (flood, hurricane, earthquake)	External	39.22	87	47.45	84	18.61	87
DF84	Price fluctuations	External	69.80	18	71.76	20	50.09	18
DF85	Problem with neighbours	External	45.10	84	46.27	86	20.87	85
DF86	Slow site clearance	External	51.76	80	52.94	79	27.40	81
DF87	Unexpectedsurface&subsurfaceconditions(suchasoil,watertable)Or Unforeseensitecondition	External	61.96	46	63.14	56	39.12	53
DF88	Unfavourable weather conditions	External	52.94	76	54.12	76	28.65	76

4. Ranking of Sources of Delay

Table 8. Ranking of Sources (Groups) of Delays.

	Frequency of occurrence		Degree of severity		Importance Index	
	FI	Rank	SI	Rank	IMP.I	Rank
Contractor’s related factors	65.97	1	69.73	2	46.01	1
Material related factors	65.15	3	70.10	1	45.67	2
Labours related factors	65.23	2	66.84	3	43.60	3
Designer’s related factors	62.44	4	66.58	4	41.57	4
Consultants/supervisors related factors	62.86	5	66.16	6	41.59	5
Client related factors	63.89	6	65.52	7	41.86	6
External related factors	52.13	8	54.81	8	28.57	7

5. Correlation

The Spearman’s rank correlation coefficient is applied to measure the degree of agreement or disagreement associated with the importance ranking of each two stakeholders for a single factor of delay, while ignoring the ranking of the third party. The results present that the highest degree of agreement is between clients and consultant, which is 88%. The lowest degree of agreement is between client and contractor, and contractors and consultants, which is 67%. The relative agreement between each two parties is shown in Table-9.

Table 9. Spearman’s rank correlation coefficient between parties.

Parties	Correlation Coefficient	Significant Level
Client and Contractor	0.67	0.95
Client and Consultant	0.88	0.95
Consultant and contractor	0.73	0.95

6. Principal Component and Factor Analysis (PCFA)

PCFA is a reduction technique used to classify and reduce the number of variables. The top ten factors were analyzed using the PCFA technique to arrive to the top five factors contributing to schedule overrun. A test for the suitability of data has been conducted before starting the analysis. The test is based on Kaiser-Meyer-Olkin measure of sampling. A KMO value >0.5 indicates that the sample is suitable for the analysis. The KMO value for the causes of delay sample was 0.65. This value indicates that the sample is suited for analysis.

From table 10, we can see that 3 factors have been extracted:

- Delay in progress payments for completed works
- Escalation of materials price

Table 10. Rotated Component Matrix^a.

	Component		
	1	2	3
Delay in progress payments for completed works	.769		
Lack of skilled professional in construction project management in contractor organization	.741		
Infective project planning and scheduling	.608		.464
Contractor’s financial difficulty	.478		
Insufficient data collection and survey before design		.850	
Fluctuating labours availability	.587		
Low productivity of labour			.817
Unqualified/inadequate experienced labour			.841
Escalation of materials price		.900	
Late delivery of materials	.719		

Extraction Method: Principal Component Analysis.
 Rotation Method: Varimax with Kaiser Normalization.
 a. Rotation converged in 5 iterations.

Unqualified/inadequate experienced labor

7. Construction Projects Delay in Ethiopia in Percent

An additional general question asked to respondents to rate projects completed on the original targeted completion time. 51 % of respondents replied not one of the projects were completed on the targeted completion date, 15.68 % of respondents answered only 5 % of projects were completed on target time, 9.8 % of respondents answered only 10 % of projects were completed on target time, 7.8% of respondents answered only 25 % of projects were completed on target time, 7.8% of respondents answered only 50 % of projects were completed on targeted time, 7.8% of respondents answered only 75 % of projects were completed on targeted time, and not one respondent replied 100 % projects were completed without extension time. And in Ethiopia only 8.25% projects were finished on the original targeted completion date.

8. Relationship with Other Developing African Countries

Finally in this research the most critical and major construction delay factors in Ethiopia are identified, and are compared with the major construction delay factors in other developing countries like Egypt [23], Nigeria[18] and, Tanzania [16]. Delay in payment to contractors is the most frequent and critical causes of delay in public building projects in Ethiopia and Tanzania [16] Whereas, in Egypt and Nigeria the most critical attributes are delayed in progress payment for completed work and improper planning respectively. [18] financial difficulties faced by contractors and public agencies, Escalations of material prices, Delay in progress payments for completed works, and late delivery

and shortage of materials are the most frequent, critical, and common delay factors in Ethiopia and Tanzania. Delay in progress payments for completed works, financial difficulties faced by contractors and public agencies, Ineffective project planning, scheduling or resource management, low productivity level of labors and unqualified workforces are the most frequent, critical, and common delay factors in Ethiopia and Egypt. Improper planning, Cash-flow problems during construction, financial issues, late delivery and shortage of materials and Ineffective project planning, scheduling or resource management are common delay factors in Ethiopia and Nigeria. In figure 1, the Major top ten Factors Causing Construction Delays in Ethiopia are compared with the major construction delay factors in other developing countries (Nigeria, Tanzania and Egypt).




Figure 1. Major factors causing construction delay in Ethiopia relate with Egypt, Nigeria, and Tanzania.

Table II. Major factors causing construction delay in Ethiopia relate with Egypt, Nigeria, and Tanzania.

Rank	Current study(2016) Ethiopia	Kikawasi, (2012) Tanzania[16]	Marzouket (2014)Egypt [18]	Mohammed (2012), Nigeria [23]
1	Difficulties in financing project by contractor	Design changes	Finance and payments of completed work by owner	Improper planning
2	Escalation of materials price	Delays in payment to contractors,	Variation orders/changes of scope by owner during construction	Lack of effective communication
3	Ineffective project planning, scheduling or resource management	Information delays	Low productivity level of labours	Design errors
4	Delay in progress payments for completed works	Funding problems	Effects of subsurface conditions (e.g. soil, high water table, etc.)	Shortage of supply like steel, concrete
5	Lack of skilled professional in construction PM (project	Poor project management,	Ineffective planning and scheduling of project	Slow decision-making

Rank	Current study(2016) Ethiopia	Kikawasi, (2012) Tanzania [16]	Marzouket (2014) Egypt [18]	Mohammed (2012), Nigeria [23]
6	management) in the organization Fluctuatinglaboursavailabilityseason ontoseason/Seasonallaboursavaila bility	Compensation issues	Difficulties in financing project by contractor	Financial issues
7	Late delivery and shortage of materials	Disagreement on the valuation of work done	Type of project bidding and award(negotiation, lowest bidder)	Shortage of materials
8	Low productivity of labour	Conflicts among the involved parties	Shortage of construction materials in market	Cash-flow problems during construction
9	Unqualified/inadequate experienced labour	Project schedule changes	Late in revising and approving design documents by owner	Increase in quantities
10	Insufficient data collection and survey before design	Supply/procurement problems	Unqualified work force	Mismanagementbythecontractor(fi nancial,suppliersupport,sub- contractor)

9. Discussion of the Result

The five most significant factors that cause delay in Ethiopian public building construction are discussed below:

9.1. Contractor's' Financial Difficulties

This research reveals that in Ethiopia owners don't release payments for executed work on time. This and likes of problems that the owner are creating are leading to financial difficulties to contractors and the pitfalls on the progress of the projects. Therefore the owners should have to release payments on time based on contract agreement and prepare sufficient fund in advance to avoid delay in progress payments for executed work and contractor's financial difficulties. So as accelerate the project progress. According to [18] financial difficulty is defined as getting into a situation where a respondent's credit is adversely impacted, such as not paying bills. If the contractors have problem in paying money for the materials to be used, laborers' salaries and equipment to be used for construction work etc. we can say that they are really in financial difficulties. A financial difficulty of contractors has reportedly been one of the important reasons of delay in construction projects [2], [12], [6] & [7] they all found that delay in payment from the client would eventually cause financial difficulties to the contractor. Thus, most of the construction works cannot be carried out due to these financial difficulties. Furthermore, [26] postulated that insufficient capital is one of the major causes of financial difficulties among contractors. Poor financial control by the contractor can lead to insufficient capital (Liu, 2010). Hence, the contractor will have excessive debt, which causes them to face financial difficulties, as they cannot pay back the debt.

9.2. Escalation of Materials

Escalation of material price is certainly another key factors affecting time performance of most construction projects in Ethiopia. During cost estimation process the estimator should have to consider appropriate inflation factor. Because during the construction period the cost of construction Materials, tools, labors, equipment etc. may vary from time to time. This escalation has, and will continue to cause, such negative

impacts as delayed projects, lack of firm price quotes, higher project costs, a significant rise in the incidence of jobsite construction materials theft. Some of the more severe impacts can be managed by cooperative efforts to minimize, manage and share risks through proactive changes in project methods and contracts. Cost impacts can be mitigated through aggressive value engineering for substitute materials, by developing on time order culture and stockpiling of regular materials, early purchases of those materials subject to escalation risk, and identify critical materials, whose production and procurement takes long time and act early supply commitments. To effectively utilize those methods, Clients/Owners, Supervisors and Contractors should seek the early involvement of specialty contractors and their collaboration with the design team. Escalation of materials price

Inflation usually leads to the escalation of prices of materials, equipment and other inputs to the projects. Since this factor is out of control by project parties, they can only minimize delays in the project so that cost overruns due to this factor are minimized (since inflation is a time bound factor). Sometimes fake scarcity is developed by the providers of materials to make a hyperinflation in developing countries. The unpredictable inflationary trend is observed in many developing countries. [8], [10], [14] identified escalation of materials price is the most important causes of delay in construction project.

9.3. Ineffective Planning and Scheduling by Contractors

Planning and scheduling is the basic for every construction work. Ineffective planning and scheduling has a significant impact on construction delays. It should be developed from the start of the project until completion of a project. The reasons why contractors are not able to follow the planning and scheduling effectively may be due to inexperience staff and shortage of workers at the site, financial problem, and poor site management. [2], [6] found in their research work Ineffective planning and scheduling by contractors is the significant causes of delay in construction project.

9.4. Delay in Progress Payments for Completed Works

Delayed payments of work done by clients on construction projects in the Ethiopian construction industry are considered

to be a factor that causes delay. It causes severe cash-flow problems to contractors and this can have a devastating effect down the contractual payment chain

Regular monthly payment to contractors for work done removed constraints which otherwise may have impeded project progress to cause delay and cost overruns. Failure to provide adequate funding resources to contractors for the job done will make it difficult for the contractors to meet project objectives [12].

According to [14], [15], [17], and [22] delay in progress payments for completed works was found to be one of the major factors that causes schedule overrun.

9.5. Lack of Skilled Professional in Construction Project Management in Contractor Organization

Shortage of talent in the construction sector is a long-term problem and will continue to push up project time and costs. The education and training capacity given through various higher institutions, organizations etc. are clearly inadequate to meet the need of the large percentage of skilled workers in the Ethiopian construction sector. The education system is often not delivering the required number of specialists across project management, engineering, surveying, contract management and the skilled/semi-skilled labor.

The findings of this research work is very similar to the findings of those research which were conducted in other developing countries like for instance, [23] have found delay in progress payments for completed works, low productivity of labor, infective project planning and scheduling, contractor's' financial difficulties, and unqualified / inadequate experienced labor were the most significant factors that causes delay in Egyptian construction projects.

[21] Identified low productivity of labor, escalation of materials price, contractor's' financial difficulties, and delay in progress payments for completed works, and infective project planning were among the significant causes of delay in Malaysian construction industry.

In the same manner [20] have indicated that contractor's' financial difficulty, escalation of materials price, and delay in progress payments for completed works, and late delivery of materials were among the major cause of delay in Nigerian construction projects.

This similarity in the causes of delay outcome among different countries shows that the causes are not specific only to some places rather they are universal.

10. Recommendations

During the personal interviews of experts from Ethiopia, a number of recommendations emerged to avoid construction delays in Ethiopian public building projects. The researchers classified them under three categories of recommendation depending on the stakeholders such as client, contractor, and consultant. The recommendations are given in bullet points as below:

Actions to be taken by client

The design drawings should be integrated and there must

be a party for checking the harmonization of various available drawings before construction phase.

Employ experienced and competent professional consultant/supervisor who is capable to carry out his duties and responsibilities related to the work with good payment.

Avoiding the lowest evaluated bidder approach.

Releasing payments on prescribed time based on contract agreement.

Actions to be taken by consultant/supervisor

Sufficient data collection and survey, and detail site investigation and design should be done before tender to avoid future variations.

Prepare always clear and adequate detail drawing and BOQ (Bill of quantity) without any mistakes and discrepancies.

During cost estimation process the estimator should have to consider appropriate risk factor and escalation factor.

Because during the construction period the cost of construction materials, tools, labors, equipment etc. may vary from time to time.

Fixing reasonable time and schedule for project. Define scope of work as precise as possible to avoid change order.

Give orientation to the clients, what impacts are encountered on the construction of the project. Example, immediate approval of payments, variations, additional works, and price escalation are improving project success.

Approve the requested payments, additional works, variation orders etc. on time, as per the rule and regulation of contract, to successful completion of the construction of the proposed projects on time.

Actions to be taken by contractor

The contractors should employ the right professional for the right position related to work, i.e. on project manager (PM) position the contractor should assign a person who has experience and specializes on construction technology and management, construction engineering and management, and related professionals.

The project manager as well as a top level management should apply proper project management techniques, such as: proper planning, scheduling and monitoring, proper cash flow and resource scheduling together with strict monitoring.

Compute with real price not to win and collect advance payment and disappear. Open to learn from others (avoid rigidity). Develop philosophy on financial management per project. And, do not use one project finance to other project.

Arrange some incentives and give training, to motivate labors and increase productivity.

Develop on time order culture and stockpiling of regular materials. Strong and proper material procurement, schedule as well as its implementations is a reliable means for resolving material related delays.

11. Conclusion

This study focused on delay of construction of public building projects in Ethiopia. The study sought the views of clients, consultants, and contractors on the relative

importance of the factors that cause delays in building construction projects in Ethiopia. The study showed that all the three groups of respondents generally agreed that out of a total of 88 factors the top ten influencing factors are: Contractor's financial difficulty, Escalation of materials price, Ineffective project planning and scheduling, Delay in progress payments for completed works, Lack of skilled professional in contractor organization, Fluctuating labor availability, Late delivery of materials, Low productivity of labor, Unqualified / inadequate experienced labor, Insufficient data collection and survey before design. The 88 factors were categorized into eight major groups and were ranked. The results show that clients, consultants, and contractors all agreed that the contractor group of delay factors was the most influential factor. Material related factors were considered the second most important factor causing delay in construction projects followed by Designer's related factors and Consultants /supervisors related factors.

References

- [1] Iyer, K. C., Jha, K. N., 2005. Factors affecting cost performance: evidence from Indian construction projects. *International Journal of Project Management* 23, 283–295.
- [2] Assaf, S. A. and S. Al-Hejji, 2006. Causes of delay in large construction projects", *international journal of project managements*, 24: 349-357.
- [3] Takim, R., & Akintoye, A. (2002). A conceptual model for successful construction project performance. Paper presented at 2nd International Postgraduate Research Conference in Built and Human Environment.
- [4] Ministry of Works and Urban Development (MoWUD), (2006), Plan for Accelerated and Sustained Development to End Poverty (PASDEP), (2005/06-2009/10); Urban Development & Construction Industry component of PASDEP.
- [5] Wubishet, J. M., (2004) Performances for Public Construction Projects in (Least) Developing Countries, Federal Road and Educational Building Projects in Ethiopia, Doctoral Thesis, NTNU, Trondheim.
- [6] Abdalla, M. Odeh and Hussien T. Battaineh, (2000), Causes of construction delay: Traditional Contracts, *International Journal of Project Management* 20(2002) 67–73.
- [7] Mansfield, N. R. Causes of delay and cost overruns in Nigerian construction projects. *Int J Project Manage* 1994; 12(4):254–60.
- [8] Sambasivan M, W. S. (2007). Causes and effects of delays in Malaysian construction industries. *International Journal of Project Management*, 25 (5), 517-526.
- [9] Al-Momani, A. H. (2000). Construction delay: a quantitative analysis, *Journal of Project Management* 18, 51-59.
- [10] Chan DWW, K. M. (1996). Reasons for delay in civil Engineering projects in case of Hong Kong. *Hong Kong Instit Eng Trans*, 3, 1-8.
- [11] Mezher, T. M. and Tawil, W. (1998) Causes of delays in the construction industry in Lebanon. *Engineering, Construction and Architectural Management* 5(3), 252-260.
- [12] Frimpong, Y., Oluwoye, J. and Crawford, L. (2003). Causes of delay and cost overruns in construction of groundwater projects in developing countries: Ghana as a case study. *International Journal of Project Management* 21: pp. 321-26.
- [13] Mansfield, N. R., Ugwu, O. O. and Doran, T. (1994) Causes of delay and cost overruns in Nigerian construction projects. *International Journal of Project Management* 12(4):pp. 254–60.
- [14] Fugar, F. D., & Agyakwah-Baah, A. B. (2010). Delays in building construction projects in Ghana. *Australasian Journal of Construction Economics and Building*, 10(1/2), 103-116.
- [15] Hamzah, N., Khoiry, M. A., Arshada I., Tawil, N. M., & Che Ani, A. I. (2011). Cause of Construction Delay - Theoretical Framework. 2nd International Building Control Conference 2011, *Procedia Engineering*, 20, 490 – 495.
- [16] Kikawasi, G. (2012). Causes and effects of delays and disruptions in construction project in Tanzania. *Australasian Journal on Construction Economics and Building, Conference Series*, 1(2), 52-59.
- [17] Mahamid, I. (2013). Common risks affecting time overrun in road construction projects in Palestine: Contractor's perspective. *Australasian Journal of Construction Economics and Building*, 13(2): 45-52.
- [18] Mohammed, K. A. (2012). Causes of Delay in Nigerian Construction Industry. *Interdisciplinary Journal of Contemporary Research in Business*, 4, 785-794.
- [19] Fung I. W. H., L. T. (2006). Construction Delays in Hong Kong civil engineering projects. *Journal of construction engineering management*, 132 (6), 639-49.
- [20] O. E. Akinsiku and A. Akinsulire (2012). Stakeholders' Perception of the Causes and Effects of Construction Delays on Project Delivery. *KICEM Journal of Construction Engineering and Project Management*. 2(4) 25-31.
- [21] N. Hamzah, M. A. Khoiry, I. Arshad, W. H. W. Badaruzzaman, and N. M. Tawil (2012). Identification of the Causes of Construction Delay in Malaysia. *International Journal of Civil, Architectural, Structural and Construction Engineering* 6 (12), 105-110.
- [22] Abedi, M., Fathi, M. S., & Mohammad, M. F. (2011). Major Causes of Construction Delays under Client Category and Contractor Category. The First Iranian Students Scientific Conference in Malaysia, 9 & 10 Apr 2011, UPM, Malaysia.
- [23] Mohamed M. Marzouk, Tarek I. El-Rasas (2014). Analyzing delay causes in Egyptian construction projects. *Journal of Advanced Research*, 5, 49–55.
- [24] Ogunlana, SO, Olomolaiye, PO (1989). A survey of site management practice on some selected sites in Nigeria. *Building Environ* 24 (2), 191-6.
- [25] Syed M. Ahmed, S. A., Pragnya Kappagantula, and Dharam Gollapudi (2003). Delays in Construction: A Brief Study of the Florida Construction Industry. ASC Proceedings of the 39th Annual Conference Clemson University Clemson, South Carolina.

- [26] Kang sik wei (2010). Causes, effects and methods of minimizing Delays in construction projects. *Journal Of Management In Engineering*, 312-332.
- [27] Le-Hoai, L., Lee, Y. D., & Lee, J. D. (2008). Delay and cost overruns in Vietnam large construction projects: a comparison with Other Selected Countries. *KSCE Journal of Civil Engineering*, 12(6), 367–377.
- [28] Pickavance Keith (2005). Delay and disruption in construction contracts. Informa publishing group limited. (3) ISBN-10, 1843114267.