

# The Maximum Principle of Forward Backward Transformation Stochastic Control System

Li Zhou<sup>1</sup>, Hong Zhang<sup>1</sup>, Jie Zhu<sup>1</sup>, Shucong Ming<sup>2</sup>

<sup>1</sup>School of Information, Beijing Wuzi University, Beijing, China

<sup>2</sup>Chinese Academy of Finance and Development, Central University of Finance and Economics, Beijing, China

## Email address:

dr.yuwenjunxian@gmail.com (Hong Zhang)

## To cite this article:

Li Zhou, Hong Zhang, Jie Zhu, Shucong Ming. The Maximum Principle of Forward Backward Transformation Stochastic Control System. *Pure and Applied Mathematics Journal*. Vol. 4, No. 3, 2015, pp. 109-114. doi: 10.11648/j.pamj.20150403.18

**Abstract:** In the paper, we discuss the maximum principle for the forward backward stochastic system. Assume the system follows a coupled forward backward stochastic differential equation modulated by a Markov chain and the control domain is convex. By convex variable method, we give the necessary and sufficient conditions for the existence of optimal control.

**Keywords:** Maximum Principle, Stochastic Control System, Forward Backward Transformation

## 1. Introduction

By the convex variation method, we give both the necessary and sufficient condition for the optimal control.

In this chapter, we study the maximum principle system forward backward conversion system. The control system is described by forward backward stochastic differential equations with continuous time Markov chain with finite state.

This chapter is structured as follows: in Section 1, we give the preliminary knowledge and problems; in section second, we obtain the necessary and sufficient conditions.

## 2. The Introduction of Optimal Control Problem

$(\Omega, F, P)$  be a probability space,  $T > 0$  is a fixed time.  $\{B_t, 0 \leq t \leq T\}$  is a D dimension Brown,  $\{\omega_t, 0 \leq t \leq T\}$  is a finite state Markov chain, The state space is  $\mathcal{S} = \{1, 2, \dots, k\}$  the transfer density function is  $\Xi(i, j)$  for  $i \neq j$ , where  $\Xi(i, j)$  is bounded nonnegative function.  $\varphi(i, i) = -\sum_{j \in \mathcal{S} \setminus \{i\}} \varphi(i, j)$ .  $\mathbb{F} = (F_t)_{t \in [0, T]}$  is flow field  $F$  generated by  $\{B_s, \omega_s; 0 \leq s \leq T\}$  and all P zero sets.  $\zeta^t$  is

the counting measure of  $\omega_t$ . Where  $\zeta^t(j)$  is the number of times that Markova chain jump to state j. within 0 to t.  $\zeta^t(j)$  is a saddle measure. At this point, the markov chain can be expressed as

$$d\omega_t = \sum_{g \in \mathcal{S}} \Xi(\omega_{t-}, g)(g - \omega_{t-})dt + \sum_{g \in \mathcal{S}} (j - \omega_{t-})d\zeta^t(g)$$

We defined the following space:

$$\|W\|_{S^2} := \left( E \left[ \sup_{s \in [0, T]} |W_s|^2 \right] \right)^{\frac{1}{2}} < +\infty;$$

$$\|O\|_{\mathcal{O}^2} := \left( E \left[ \int_0^T |O_s|^2 ds \right] \right)^{\frac{1}{2}} < +\infty;$$

$$\|G\|_{J^2} := \left( E \left[ \int_0^T \sum_{g \in \mathcal{S}} |G_s(g)|^2 1_{\{\omega_{s-} \neq g\}} \Xi(\omega_{s-}, g) ds \right] \right)^{\frac{1}{2}} < +\infty.$$

Consider the following forward and backward stochastic system conversion system:

$$\left\{ \begin{aligned} dX_t &= b(t, \omega, X_t, u_t) dt + \bar{\omega}(t, \omega, X_t, u_t) dB_t \\ -dY_t &= \Psi(t, \omega, X_t, W_t, O_t, G_t(1)n_t(1), \dots, G_t(w)n_t(w), u_t) dt - O_t dB_t - \sum_{g \in \wp} G_t(g) d\tilde{\zeta}_t(g) \\ X_0 &= x, W_T = \Phi(X_T) \end{aligned} \right. \quad (2.1)$$

Where  $\psi(t, i, x, y, z, q, u)$  are generators of BSDEs with a Markov chain.

consider the situation that the X and Y are one dimension and change the backward equation into:

In this chapter, for the convenience of marking, we only

$$-dW_t = \Psi(t, \omega, X_t, W_t, O_t, G_t n_t, u_t) dt - O_t dB_t - \sum_{g \in \wp} G_t(g) d\tilde{\zeta}_t(g),$$

$$G_t n_t = (G_t(1)n_t(1), \dots, G_t(w)n_t(w)). b: [0, T] \times \wp \times \mathbb{R} \times D \rightarrow \mathbb{R}, \bar{\omega}: [0, T] \times \wp \times \mathbb{R} \times D \rightarrow \mathbb{R}^{z \times d} \text{ and } \Phi: \mathbb{R} \rightarrow \mathbb{R}$$

are measurable functions with certainty. D is a nonempty convex subset of  $\mathbb{R}$ .  $b, \bar{\omega}$  satisfy Lipschitz Condition as to x.

$\Psi(t, i, x, y, z, q, u)$  satisfy the following Lipschitz Condition:  $\forall i \in \wp$

$$|g(t, i, x, y, z, q, u) - g(t, i, x, y', z', q', u)| \leq C(|y - y'| + |z - z'| + |q - q'|). \quad (2.2)$$

$$|(G_t(g) - G'_t(g))n_t(g)| \leq C|G_t - G'_t|. \quad (2.3)$$

In this paper, we make the following assumptions:

$$E \int_0^t |u_t|^2 dt < +\infty.$$

$$\lambda(u.) = E \left\{ \int_0^T z(t, \omega, X_t, W_t, O_t, G_t n_t, u_t) dt + h(X_T) + r(W_0) \right\}, \quad (2.4)$$

### 3. Maximum Principle

In this part, we will get the maximum principle of stochastic variational method for optimal control problems in Section 1 of the value by classical convex optimal control. We will give the necessary and sufficient condition for the existence.

#### 3.1. Necessary Condition

Let  $u(\cdot)$  be an optimal control of the optimal control system (1.1), whose corresponding trajectory is denoted as  $(X(\cdot), W(\cdot), O(\cdot), G(\cdot))$ . Let  $v(\cdot)$  be another adaptation process (not necessarily valued in U), which satisfies

$u(\cdot) + v(\cdot) \in D$ . Since the control domain D is convex,  $\forall 0 \leq \tau \leq 1, u^\tau(\cdot) := u(\cdot) + \tau v(\cdot) \in D$ . For the convenience of marking,

$$\xi = \xi(t, \omega, X_t, u_t)$$

$$\xi = b, \bar{\omega}, b_x, b_u, \bar{\omega}_x, \bar{\omega}_u$$

$$\Phi = \Phi(t, \omega, X_t, W_t, O_t, G_t n_t, u_t)$$

$$\Phi = \Psi, \Psi_t, \Psi_y, \Psi_z, \Psi_{w(g)}, \Psi_u, z, z_x, z_y, z_z, z_{w(g)}, z_u,$$

$$\text{where } \Psi_{w(g)} := \Psi G(g) n(g), z_{w(g)} := z_{G(g) n(g)}.$$

Introduction of variational equations as follows:

$$\left\{ \begin{aligned} d\vartheta_t &= (b_x \vartheta_t + b_u v_t) dt + (\bar{\omega}_x \vartheta_t + \bar{\omega}_u v_t) dB_t, \\ -dA_t &= \left[ \Psi_t \vartheta_t + \Psi_y A_t + \Psi_z \delta_t + \sum_{g \in \wp} \Psi_{w(g)} \zeta_t(g) n_t(g) + \Psi_u v_t \right] dt - \zeta_t dB_t - \sum_{g \in \wp} \zeta_t(g) d\tilde{\zeta}_t(g), \\ \vartheta_0 &= 0, A_T = \Phi_x(X_T) \vartheta_T. \end{aligned} \right. \quad (3.1)$$

Obviously, the above linear FBSDE has a unique solution  $(\vartheta, \mathfrak{A}, \delta, \tau) \in S^2 \times S^2 \times \Theta^2 \times J^2$

corresponding to  $u^\tau(\cdot)$ .  $\forall 0 \leq t \leq T$ ,

Note

Note  $(X^\tau(\cdot), Y^\tau(\cdot), O^\tau(\cdot), G^\tau(\cdot))$  is the rail line

$$\tilde{X}_t^\tau = \frac{X_t^\tau - X_t}{\tau} - \vartheta_t, \tilde{Y}_t^\tau = \frac{Y_t^\tau - Y_t}{\tau} - A_t, \tilde{Z}_t^\tau = \frac{Z_t^\tau - Z_t}{\tau} - \delta_t, \tilde{G}_t^\tau = \frac{G_t^\tau - G_t}{\tau} - \delta_t.$$

We have a convergence results are as follows:

Proof.

Lemma 1.

We show that the other three equations. Firstly, we have

$$\begin{aligned} \limsup_{\tau \rightarrow \infty} \sup_{0 \leq t \leq T} E \left| \tilde{X}_t^\tau \right|^2 &\rightarrow 0, \limsup_{\tau \rightarrow \infty} \sup_{0 \leq t \leq T} E \left| \tilde{W}_t^\tau \right|^2 \rightarrow 0, \\ \lim_{\tau \rightarrow \infty} E \int_0^T \left| \tilde{Z}_t^\tau \right|^2 &\rightarrow 0, \lim_{\tau \rightarrow \infty} E \int_0^T \left| \tilde{G}_t^\tau \right|^2 \rightarrow 0. \end{aligned}$$

$$\left\{ \begin{aligned} -d\tilde{W}_t^\tau &= \left\{ \begin{aligned} &\tau^{-1} \left[ \Psi \left( t, \omega_t, X_t + \tau(\vartheta_t + \tilde{X}_t^\tau), Y_t + \tau(n_t + \tilde{W}_t^\tau), \right. \right. \\ &\left. \left. Z_t + \tau(\delta_t + \tilde{Z}_t^\tau), (W_t + \tau(\zeta_t + G_t^\tau)) n_t, u_t + \tau v_t \right) - \Psi \right] \\ &- \Psi_x \vartheta_t - \Psi_y A_t - \Psi_z \delta_t - \sum_{g \in \emptyset} \Psi_{w(g)} \zeta_t(g) n_t(g) - \Psi_u v_t \end{aligned} \right\} dt - \tilde{Z}_t^\tau dB_t - \sum_{g \in \emptyset} \tilde{G}_t^\tau(g) d\tilde{\zeta}_t(g), \\ \tilde{W}_T^\tau &= \tau^{-1} \left[ \Phi(X_T^\tau) - \Phi(X_T) \right] - \Phi_x(X_T) \vartheta_T. \end{aligned} \right. \quad (3.2)$$

Noted

$$A_t^\tau = \int_0^1 \Psi_x(t, \omega, X_t + \Xi \tau(\vartheta_t + \tilde{X}_t^\tau), W_t + \Xi \tau(A_t + \tilde{Y}_t^\tau), Z_t + \Xi \tau(\delta_t + \tilde{Z}_t^\tau), (G_t + \Xi \tau(\zeta_t + \tilde{G}_t^\tau)) n_t, u_t + \Xi \tau v_t) d\Xi = \int_0^1 \Psi_x(\Delta \Xi) d\Xi$$

Similarly

$$B_t^\tau = \int_0^1 \Psi_y(\Delta \Xi) d\Xi, C_t^\tau = \int_0^1 \Psi_z(\Delta \Xi) d\Xi, D_t^\tau(g) = \int_0^1 \Psi_{w(g)}(\Delta \Xi) d\Xi,$$

$$G_t^\tau = (A_t^\tau - \Psi_x) \vartheta_t + (B_t^\tau - \Psi_y) A_t + (C_t^\tau - \Psi_z) \delta_t + \sum_{g \in \emptyset} (D_t^\tau(g) - \Psi_{w(g)}) \zeta_t(g) n_t(g) + \int_0^1 [\Psi_u(\Delta \Xi) - \Psi_u] v_t d\Xi$$

This (2.2) could also be written as follows.

$$\left\{ \begin{aligned} -d\tilde{W}_t^\tau &= \left[ A_t^\tau \tilde{X}_t^\tau + B_t^\tau \tilde{W}_t^\tau + C_t^\tau \tilde{Z}_t^\tau + \sum_{g \in \emptyset} D_t^\tau(g) \tilde{G}_t^\tau(g) n_t(g) + G_t^\tau \right] dt - \tilde{Z}_t^\tau dB_t - \sum_{g \in \emptyset} \tilde{G}_t^\tau(g) d\tilde{\zeta}_t(g), \\ \tilde{Y}_T^\tau &= \tau^{-1} \left[ \Phi(X_T^\tau) - \Phi(X_T) \right] - \Phi_x(X_T) \vartheta_T. \end{aligned} \right.$$

Attention to the measurable variation for  $\tilde{\zeta}(g)$

And  $\left| (G_t(g) - G_t^\tau(g)) n_t(g) \right| \leq c |G_t - G_t^\tau|$ , we apply

$$d \langle \tilde{\zeta}(g), \tilde{\zeta}(g) \rangle_t = n_t(g) dt = 1_{\{\omega_t \neq g\}} \Xi(\omega_{t-}, g) dt \quad (3.3)$$

division integral formula to  $|\tilde{Y}_t^\tau|$

And we can get the following from (2.3) and (1.3)

$$\begin{aligned} &E \left| \tilde{W}_t^\tau \right|^2 + E \int_t^T \left| \tilde{Z}_s^\tau \right|^2 ds + \sum_{g \in \emptyset} E \int_t^T \left| \tilde{G}_s^\tau(g) \right|^2 n_s(g) ds \\ &= 2E \int_t^T \left\langle \tilde{W}_s^\tau, A_s^\tau \tilde{X}_s^\tau + B_s^\tau \tilde{Y}_s^\tau + C_s^\tau \tilde{Z}_s^\tau + \sum_{g \in \emptyset} D_s^\tau(g) \tilde{G}_s^\tau(g) n_s(g) + G_s^\tau \right\rangle ds + E \left[ \tau^{-1} \left( \Phi(X_T^\tau) - \Phi(X_T) \right) - \Phi_x(X_T) \vartheta_T \right] \\ &\leq CE \int_t^T \left| \tilde{W}_s^\tau \right|^2 ds + \frac{1}{2} E \int_t^T \left| \tilde{Z}_s^\tau \right|^2 ds + \frac{1}{2} \sum_{g \in \emptyset} E \int_t^T \left| \tilde{G}_s^\tau(g) \right|^2 n_s(g) ds + \lambda_\tau \end{aligned}$$

where

$$\lambda_\tau = E \int_t^T \left( \left| A_s^\tau \tilde{X}_s^\tau \right|^2 + \left| G_s^\tau \right|^2 \right) ds + E \left[ \int_0^1 \Phi_x(X_T + \Xi \tau(\tilde{X}_T^\tau + \vartheta_T)) (\tilde{X}_T^\tau + \vartheta_T) d\Xi - \Phi_x(X_T) \vartheta_T \right].$$

We know that  $\lim_{\tau \rightarrow 0} \lambda_\tau = 0$ , By Gronwall inequality, we can prove the three convergence results.

Because.  $u(\cdot)$  is an optimal control, we have

$$\tau^{-1} [\hat{\lambda}(u^\tau(\cdot)) - \hat{\lambda}(u(\cdot))] \leq 0 \tag{3.4}$$

The following variational inequality was established

we prove the following variational inequalities,

Lemma .2. We suppose that theorem (A1 – A3) are tenable ,

$$E \int_0^T \left[ z_x \vartheta_t + z_y A_t + z_z \delta_t + \sum_{g \in \wp} z_{w(g)} \mathcal{S}_t(g) n_t(g) + z_u v_t \right] dt + E \gamma_x(X_T) \vartheta_T + E r_y(W_0) A_0 \leq 0 \tag{3.5}$$

Proof.

The convergence results of lemma 1

$$\tau^{-1} E \left( \gamma(X_T^\tau) - \gamma(X_T) \right) = E \int_0^1 \gamma_x \left[ X_T + \Xi \tau (\tilde{X}_T^\tau + \vartheta_T) \right] (\tilde{X}_T^\tau + \vartheta_T) d\Xi \rightarrow E \gamma_x(X_T) \vartheta_T$$

Similarly, we have

$$\tau^{-1} E \left( r(W_0^\tau) - r(W_0) \right) \rightarrow E r_y(W_0) A_0,$$

$$\tau^{-1} E \int_0^T \left[ z(t, \omega_t, X_t^\tau, W_t^\tau, O_t^\tau, G_t^\tau n_t, u_t^\tau) - z(t, \omega_t, X_t, W_t, O_t, G_t n_t, u_t) \right] dt \rightarrow E \int_0^T \left[ z_x \vartheta_t + z_y A_t + z_z \delta_t + \sum_{g \in \wp} z_{w(g)} \mathcal{S}_t(g) n_t(g) + z_u v_t \right] dt$$

Thus (3.5) can be obtained by (3.4)

we introduce the dual equations as follows,

$$\begin{cases} -dP_t = (b_x P_t - \Psi_x U_t + \varpi_x I_t + z_x) dt - I_t dB_t - \sum_{g \in \wp} \Theta_t(g) d\tilde{\zeta}_t(g) \\ dU_t = (\Psi_y U_t - z_y) dt + (\Psi_z U_t - z_z) dB_t + \sum_{g \in \wp} (\Psi_{w(g)}(t-) k_{t-} - z_{w(g)}(t-)) d\tilde{\zeta}_t(g) \\ P_T = -\Phi_x(X_T) U_T + \gamma_x(X_T), U_0 = -r_y(W_0) \end{cases} \tag{3.6}$$

The define of  $\Psi_{\omega(g)}(t-), z_{\omega(g)}(t-)$  is

$$J(t, i, x, y, z, w, u, q, w, k) = (q, b(t, i, x, u)) + (w, \varpi(t, i, x, u)) - (k, \Psi(t, i, x, y, z, wn, u)) + z(t, i, x, y, z, wn_t, u) \tag{3.7}$$

$$\begin{cases} -dP_t = J_x dt - I_t dB_t - \sum_{g \in \wp} \Theta_t(g) d\tilde{\zeta}_t(g) \\ dU_t = -J_y dt - J_z dB_t - \sum_{g \in \wp} J_{w(g)}(t-) d\tilde{\zeta}_t(g) \\ P_T = -\Phi_x(X_T) U_T + \gamma_x(X_T), U_0 = -r_y(W_0) \end{cases} \tag{3.8}$$

correspondingly.  $(P(\cdot), I(\cdot), U(\cdot))$  is the only solution of the dual equations(3.6).thus for any  $v \in Q$ , the following can be obtain,

$$J_u \bullet (v - u_t) \leq 0, a.e., a.s.. \tag{3.9}$$

Now we can prove stochastic maximum principle

Proof.

Theorem 1 (maximum principle). Set  $u(\cdot)$  as an optimal

We apply division integral formula to  $\vartheta_T P_T + A_T U_T$

control,  $(X(\cdot), Y(\cdot), O(\cdot), G(\cdot))$  Is the rail line

$$\begin{aligned} E(\vartheta_T P_T + A_T U_T - A_0 U_0) &= E[\vartheta_T J_x(X_T) + A_0 r_y(W_0)] \\ &= E \int_0^T \left[ - \left( z_x \vartheta_t + z_y A_t + z_z \delta_t + \sum_{g \in \wp} z_{w(g)} \mathcal{S}_t(g) n_t(g) + P_t b_u v_t + I_t \varpi_u v_t - U_t \Psi_u v_t \right) \right] dt \end{aligned}$$

According the Lemma .2.

$$E \int_0^T J_u \bullet v_t dt \leq 0 \quad v_s = \begin{cases} os \notin [t, t + \varepsilon] \\ v'_s - u_s, s \in [t, t + \varepsilon] \end{cases}$$

We suppose that  $v_t$  is the following form,

Where  $v'(\cdot) \in Q$ , Thus we can obtain that

$$\varepsilon^{-1} E \int_t^{t+\varepsilon} J_u \cdot (v'_s - u_s) ds \leq 0$$

We suppose that  $\varepsilon \rightarrow 0$ , Thus we can obtain that

$$E \left[ J_u \cdot (v'_t - u_t) \right] \leq 0, a.e..$$

For  $v \in Q$  and  $A \in F_t$ , We suppose that  $v'_t = v1_A + u_t 1_{A^c}$ , Thus we can obtain that

$$E \left[ J_u \cdot (v - u_t) 1_A \right] \leq 0, a.e..$$

Thus

$$E \{ J_u \cdot (v - u_t) | F_t \} = J_u \cdot (v - u_t) \leq 0, a.e., a.s..$$

### 3.2. Sufficient Conditions

In this section, under certain conditions, we obtain sufficient conditions for the existence of the optimal control.

$$\tilde{\lambda}(v(\cdot)) - \tilde{\lambda}(u(\cdot)) = E \int_0^T (z^v - z) dt + E \left( \gamma(X_T^v) - \gamma(X_T) \right) + E \left( r(W_0^v) - r(W_0) \right).$$

We could know from the concavity of the  $\Upsilon, \gamma, J$ .

$$\begin{aligned} E \left( \gamma(X_T^v) - \gamma(X_T) \right) &\geq E \left( P_T + I(\omega_T) U_T \right) (X_T^v - X_T), \\ E \left( r(W_0^v) - r(W_0) \right) &\geq -E \left( U_0 (W_0^v - W_0) \right) \end{aligned}$$

$$\begin{aligned} E \int_0^T (z^v - z) dt &= E \int_0^T \left[ (J^v - J) - P_t (b^v - b) - I_t (\bar{\omega}^v - \bar{\omega}) + U_t (\Psi^v - \Psi) \right] dt \\ &\geq E \int_0^T \left[ J_x (X_t^v - X_t) + J_y (W_t^v - W_t) + J_z (O_t^v - O_t) + \sum_{g \in \emptyset} J_{w(g)} (G_t^v - G_t) + J_u (v_t - u_t) - P_t (b^v - b) - I_t (\bar{\omega}^v - \bar{\omega}) + U_t (\Psi^v - \Psi) \right] dt \end{aligned}$$

We apply the division integral formula to  $P_t \cdot (X_t^v - X_t)$  and  $U_t \cdot (Y_t^v - Y_t)$

$$\begin{aligned} EP_T (X_T^v - X_T) &= E \int_0^T \left[ P_t (b^v - b) - J_x (X_t^v - X_t) + J_t (\bar{\omega}^v - \bar{\omega}) \right] dt, \\ EU_0 (W_0^v - W_0) &= EU_T \left( \Phi(X_T^v) - \Phi(X_T) \right) - E \int_0^T \left[ -U_t (\Psi^v - \Psi) - (W_t^v - W_t) (\Psi_y U_t - z_y) - (O_t^v - O_t) (\Psi_z U_t - z_y) \right. \\ &\quad \left. - \sum_{g \in \emptyset} (G_t^v(g) - G_t(g)) (\Psi_{w(g)} \Theta_t - z_{w(g)}) n_t(g) \right] dt \end{aligned}$$

By the condition (3.9) can be obtained

$$\tilde{\lambda}(v(\cdot)) - \tilde{\lambda}(u(\cdot)) \leq 0$$

### Acknowledgements

This paper is funded by the project of National Natural Science Fund, Logistics distribution of artificial order picking random process model analysis and research (Project number: 71371033); and funded by intelligent logistics system Beijing Key Laboratory (No.BZ0211); and funded by scientific-research bases---

Theorem 2. We suppose that theorem (A1 - A3) are tenable,  $h, r, H$  are concave to  $(x, y, z, u, w)$  and  $W_T = \Phi(X_T)$  can be written as  $W_T = I(\omega_T) X_T$ , where  $I$  is the measurable function with certainty.  $(P(\cdot), I(\cdot), U(\cdot), \Theta(\cdot))$  is the solution of the Dual equations as to the control  $u(\cdot)$ , which will be an optimal control if and on if theorem (3.9) is satisfied.

Proof

We suppose that  $v(\cdot)$  is arbitrary feasible control, and noted  $(X_t^v, Y_t^v, W_t^v, Q_t^v)$  is rail line correspondingly. In order to mark the simple, we note:

$$\begin{aligned} \lambda^v &:= \lambda(t, \omega_t, X_t^v, v_t), \text{ when } \lambda = b, \bar{\omega} \\ \theta^v &:= \theta(t, \omega_t, X_t^v, W_t^v, O_t^v, G_t^v n_t, v_t), \text{ when } \theta = z, \Psi \\ J^v &:= J(t, \omega_t, X_t^v, W_t^v, O_t^v, G_t^v n_t, v_t, P_t, I_t, U_t), \end{aligned}$$

Thus

Science & Technology Innovation Platform---Modern logistics information and control technology research (Project number: PXM2015\_014214\_000001); and funded by 2014-2015 school year, Beijing Wuzi University, College students' scientific research and entrepreneurial action plan project (No.68); and funded by Beijing Wuzi University, Yunhe scholars program (00610303/007); and funded by Beijing Wuzi University, Management science and engineering Professional group of construction projects. (No. PXM2015\_014214\_000039). University Cultivation Fund Project of 2014-Research on Congestion Model and algorithm of picking system in distribution center (0541502703)

---

## References

- [1] A. Szukala, A Knese-type theorem for equation  $x=f(t, x)$  in locally convex spaces, *Journal for analysis and its applications*, 18 (1999), 1101-1106.
- [2] M. Tang and Q. Zhang, Optimal variational principle for backward stochastic control systems associated with Levy processes, *Sci China Math*, 55 (2012), 745-761.
- [3] Seva S. Tang and X. Li, Necessary condition for optimal control of stochastic systems with random jumps, *SIAM J Control Optim*, 32 (1994), 1447-1475.
- [4] J. Valero, On the kneser property for some parabolic problems, *Topology and its applicanons*, 155 (2005), 975-989.
- [5] Z. Wu, Maximum principle for optimal control problem of fully coupled forward-backward stochastic systems, *J. Systems Sci. Math. Sci.*, 11 (1998), 249-259.
- [6] Z. Wu, Forward-backward stochastic differential equations with Brownian Motion and Process Poisson, *Acta Math. Appl. Sinica, English Series*, 15 (1999), 433-443.
- [7] Z. Wu, A maximum principle for partially observed optimal control of forward-backward stochastic control systems, *Sci China Ser F*, 53 (2010), 2205-2214.
- [8] Z. Wu and Z. Yu, Fully coupled forward-backward stochastic differential equations and related partial differential equations system, *Chinese Ann Math Ser A*, 25 (2004), 457-468
- [9] H. Xiao and G. Wang, A necessary condition for optimal control of initial coupled forward-backward stochastic differential equations with partial information, *J. Appl. Math. Comput.*, 37 (2011), 347-359.
- [10] J. Xiong, *An Introduction to Stochastic Filtering Theory*, London, U.K.: Oxford University Press, 2008.