

Fear Induced on Withdrawal Decisions in Mexican Hysterectomized Patients and the Suppressive Effects: Case Report

Reig-Salazar Claudia, Reig Enrique

Department of Research, Homeopatia de Mexico Postgraduate School, México City, México

Email address:

www.clreig@gmail.com (Reig-Salazar C.), www.enriquereig@hotmail.com (Reig E.), www.enriquereigts.com (Reig E.)

To cite this article:

Reig-Salazar Claudia, Reig Enrique. Fear Induced on Withdrawal Decisions in Mexican Hysterectomized Patients and the Suppressive Effects: Case Report. *International Journal of Homeopathy & Natural Medicines*. Vol. 7, No. 2, 2021, pp. 22-28.
doi: 10.11648/j.ijhnm.20210702.12

Received: December 9, 2021; **Accepted:** February 10, 2022; **Published:** February 28, 2022

Abstract: In the current research paper the important effects of suppression were analyzed, specifically the suppressive effects of surgical removal of organs. Due to the high incidence of pre-menopausal women who decide to remove their uterus prophylactically, there is a large number of harmful effects of such removal in the practice of homeopaths. The fear (alleged high probability) of having cancer expressed to their patients by many of the gynecologists is the main cause of these decisions. phrases have even been created such as: the uterus that no longer bears children, for sure will gives cancer. This analysis was done in the clinical case study format, it is difficult to obtain a sample of patients who want to collaborate in an investigation of this type, we must understand that many of the patients are not related to homeopathy, which reduces the possibility of consulting the complications of hysterectomy. And of the patients who, being desperate for not being cured with allopathic remedies, some of them have resorted to homeopathy to treat themselves. Only 4 of this group agreed to participate in this research. The main purpose was to show the complications (and implications) for the health of women after this kind of surgery. The sample of the cases: four women with hysterectomy, all had the same diagnosis prior to surgery: Uterine Fibroids (Fibroids). This being the main cause of alarm in these patients due to the catastrophic allopathic prognosis that is almost a fashion in medical practice, especially in Western countries. Post-surgery: After a while, they all developed a number of important symptoms as a result of the withdrawal. Something very important to analyze in the present article is the miasmatic diagnosis of the symptoms after surgery. In this article we explain the individualized treatment of each patient through the miasmatic orientation approach that is followed in the school Homeopathy of Mexico. The treatment is explained using the understanding that what is more relevant is the miasmatic. The cases with columns are presented where a seriation of symptoms, this is made according to a technique which pretend detect the predominant miasma in each patient. In this article, we explain the individualized treatment of complications in each patient using the approach of miasmatic orientation. It is explained the individualized treatment using the approach of miasmatic procedure. Finally, the results are commented, and future research are recommended.

Keywords: Hysterectomy, Suppression, Miasmatic Orientation, Myomas

1. Introduction

Noting that although hysterectomy remains one of the most common forms of surgery to which women are exposed, the psychological implications remain obscure.

Meikle Stewart

Using badly the probability theory¹, the allopathic doctors recommend or prescribe hysterectomy in female

¹ The probability theory says: Probability is the characteristic of an event, which causes there to be reasons to believe that it will take place. The probability "P" that an event "X" occurs out of a total of "n" equally probable possible cases is equal to the ratio between the number of occurrences "Y" of said event (in the form of favorable cases) and the number total possible cases "N".

patients over 44 years old, they use the expression: just in case and convince their patients that their data shows danger and the way to avoid this danger is practicing hysterectomy. They also minimize the side effects and exaggerate the benefits using the probability theory but in a wrong way.

If I test a sample of women in determine age with risk to have uterine cancer and get the average of 6%, it means that 6 of each 100 will develop a cancer. However, it is very important to have a correct measure of the sample²: having a family history of cervical cancer, number of pregnancies, tobacco, having many sexual partners, becoming sexual activity at young age (younger than 18), long term oral contraceptives, and many others. After those testing data, each patient gets a personal risk average.

Hysterectomy: it is important to review the main causes of hysterectomy indication. Afridi, N., Fareed, A., Nazeer, S., Khan, S., Khan, Sh. [1] mentioned that hysterectomy is the most common surgical modality in gynecology. Also they mentioned that Adenomyosis is the most common histopathological finding in patients undergoing hysterectomy for benign disease. Anbreen, F., Qadir, S., Naeem, H., Farhat, N., Ghafoor, M., Hassan, S. [2] comment that the indication for hysterectomy by type from 2013-2016 was menstrual disorders and uterine prolapse.

In some of the specialized medical practice³, it is common that the doctor persuades his patient to practice hysterectomy, but in some other cases the doctor will persuade only with the reasoning: just in case. And many of the patients react to this warning accepting the surgery.

Option A: Doctors recommend the hysterectomy when they find myomas. This recommendation normally explains to the patients the risks of cancer.

Option B: As a result of propaganda, many women over 44 years old, after reading an exaggerated nonscientific magazine, usually panic. And it is common that some of this woman seek doctors asking specifically about the surgery.

Then some of the doctors accept the challenge to take off the organ without indications but with the acceptance of the person full of fear.

Cognition is the ability of a living being to process information from perception, acquired knowledge (through experience) and subjective characteristics that allow the information to be valued. It consists of processes such as learning, reasoning, attention, memory, problem solving, decision making, feelings. Some of the main aspects of the cognitive structure:

A) Observation: activity based on the detection and assimilation of the features of an element or several

elements, through the sense of sight as the main instrument. B) Identification of variables: precise and precise location of the elements or parts involved in a study phenomenon. C) Comparison: means through which two phenomena are related in order to identify the similar and distinctive aspects of each one of them. D) Relationship: cognitive process from which correspondence or connections between two or more things are detected. E) Ordering: cognitive process through which two or more objects are arranged or distributed, it can also be done based on their characteristics or qualities.

According to Levine, Resnick, L. B. and Higgins, E. T. [3] the Cognition can also be socially distributed, that is, shared by numerous individuals, the concept of interactive learning, consisting of believing that learning is a matter of internalizing processes that have initially been practiced in interaction with others.

For learning the interaction with others is important, for example, solving a mathematical problem, operating complex machinery, or being able to interpret different texts, all of this is to be able to finally carry out these tasks on their own (Vygotsky, [4]). Learning will happen with the visibility of situations with other people interactions. Hierarchical classification: cognitive process through which various phenomena are articulated or related in relation to their importance. In a general way, it can be presented from the general to the particular (deductive method) or from the particular to the general (inductive method).

What happened with persuaded and convinced women who decide and do the surgery?

According to the homeopathical approach they will present in the middle time, many complex symptoms, some of them will be difficult to detect or describe and also difficult to treat. This supplementary symptom is called suppressive symptom, those symptoms are the consequence of malpractice, it means, consequence to take off an organ which function is not only for childbirth but for many other important functions. (non only function for childbirth, an organ very important for many other functions).

In the visible world, the uterus exists only to give the possibility for childbirth, but in the quantum physics the situation changes dramatically. There is an invisible system inside the human body in which everything is connected with everything,

In the theosophical approach, it is taught that in the manifestation plane, each atom is commanded by one conscious energy which provide a) movement and b) intelligence, it means, coordinates with the purpose of orienting that movement organized in form of circumferences. Each group of atoms have a commander and form cells, organs, apparatus and systems and finally a body. Apparently, there is a sophisticated system of communications between all the inner body structures. That's why, when some part is getting out of the body, there will appear effects in other parts of the body in which, apparently there are not physical relations or contact.

² American cancer society.

³ Example, in the Stanford health care advises they mention some conditions to get an hysterectomy as a treatment option is for the following reasons: abnormal bleeding, pelvic pain or infection, endometriosis, adenomyosis, pelvic organ prolapse, fibroids or noncancerous growths in the uterus, etc.

Homeopathic approaches: there are many cases, Kaur, D., Shah, J. and Sonavale, R. [5] investigate and evaluate the anticancer activity of commercially available homeopathic preparations the specific case of dynamized testosterone. Yadev, R., Jee, B., and Rao, K. [6] follow a spectrum of symptoms of a patient guide in cancer process. Available data suggest that homeopathy has potency not only to treat various types of cancers but also to reduce the side effects caused by standard therapeutic modalities like chemotherapy, radiotherapy or surgery. Lucadou, W. [7] report research of homeopathy and the result of epidemiological clinical studies about the success of homeopathic treatments. The paper tries to answer the question of why extremely highly diluted substances may be able to result in a medical reaction in a patient even if no single molecule of the used substance is detected in the medicament.

Homeopathy will affect positively the negative effects of uterus resection. Basically, the reasons of those beneficial effects are various: Banyopadhyay, P., Das, S., Manchanda, R., Khurana, A., Nayak, D., Bhar, D., Basu, R. and Nandy, P. [8] mentioned that Homeopathic medicines affect physical properties of matter which depend on the characteristic and the potency of the medicine. These effects can be explained from two aspects: (a) classical and (b) quantum electrodynamical. Using three different sets of experiments where homeopathic medicines have affected the physical properties of matter, they have shown how the results can be interpreted in a positive way.

In the following cases, we will present different homeopathical treatments for suppressive symptoms that appeared after hysterectomy. However, the best decision is the correct evaluation of each case and practice hysterectomy only if is completely necessary and not before the overwhelming data.

2.1. Case 1 Maria

MIASMATIC DIAGNOSIS

Psora 1 Sycoisis 2 Syphilis 3.

Table 1. I&D Identification and demographics (name Maria, age).

Age 58,	PSORA	SYCOISIS	SYPHILIS
PMH (Past medical history) (major illnesses)	11	5	12
FH (Family history) (father mother. paternal grandparents and maternal grandparents)	9	7	14
HPC (History of presenting complaint) Synthesis:			
Average mental and general symptoms in common.....	4	8	6
	24	20	32

Table 2. Nosological dx.

Nosological dx	Myomas uterine fibroids
Dx of Pathology, symptoms after the hysterectomy (Supression):	Hypertension. Hypotiroidism. Colitis. Cephalalgia
Miasmatic diagnosis:	3-1-2
Predominant miasma	Psoric

Case 1 some of the main symptoms and miasmatic seriation and equivalences:

2. Cases

Four patients hysterectomized for the same cause: uterine fibroids (Myomas) All of them developed symptoms some months after the surgery. All of those symptoms were new for all of them. As the homeopathic pathogenesis predict, after a suppression the patients will present new symptoms. As it is known, in homeopathy the symptoms are individualized, it means that there is not an equal reaction for all the patients in front of the same suppression (Hysterectomy). In all of those cases the patients were treated with different remedies and using the miasmatic approach. In the end, after several sessions, three of them were cured, one was in the stage of incurability.

There are experiments where homeopathic medicines have affected the physical properties of matter, they have shown how the results can be interpreted in a positive way. In the following cases we will present different homeopathical treatments after hysterectomy. However, the best decision is the correct evaluation of each case and practice hysterectomy only if is completely necessary and not before the overwhelming data.

Four patients hysterectomized for the same cause: uterine fibroids (Myomas) All of them developed symptoms some months after the surgery. All of those symptoms were new for all of them. As the homeopathic pathogenesis predict, after a suppression the patients will present new symptoms. As it is known, in homeopathy the symptoms are individualized, it means that there is not an equal reaction for all the patients in front of the same suppression (Hysterectomy). In all of those cases the patients were treated with different remedies and using the miasmatic approach. Al the end, after several sessions, three of them were cured, one was in the stage of incurability.

Table 3. Mental and General symptoms.

Mental	General
Malicious (Resentment) 1, 2) 3 Despair 3 Hatred 3 Forgetful 3-1 Impatience 2	Sleeplessness (Insomnia) 1, 2, 3 Weariness 1

Phenomenological expressions:

1. I feel really resentful with my husband, sometimes a dream that a take revenge for what he did to me.
2. I know I would never hurt him and that makes me feel impotent.
3. I feel that I will never get over this, that makes me feel sad and really angry.
4. I've always been morose, I get easily angry and lately I forget everything and
5. I feel really tired
6. I had a pelvic and abdominal ultrasound because I had stomachache,
7. I was diagnosed with colitis but they found too uterine myomatosis so my doctor decided to take off my uterus"

Dx miasmatic: 3-1-2 Syphilitic, psoric, sycotic.

Treatment: Natrum Muriaticum 0/6 LM.

2.2. Case 2 Laura

MIASMATIC DIAGNOSIS

Psora 1 Sycosis 2 Syphilis 3.

Table 4. I&D Identification and demographics (name Laura, age).

I&D Identification and demographics (name, age, height, weight) Age 45,	PSORA	SYCOSIS	SYPHILIS
PMH (Past medical history) (major illnesses)	3	13	2
FH (Family history) (father mother. paternal grandparents and maternal grandparents)	9	3	2
HPC (History of presenting complaint) Synthesis:			
Average mental and general symptoms in common.....	8	14	4
	20	30	8

Table 5. Nosological dx.

Nosological dx	Myomas uterine fibroids
Dx of Pathology, symptoms after the hysterectomy (Supression):	Allergic rhinitis Colitis Constipation GERD Gastro Esomagial reflux disease
Miasmatic diagnosis:	2-1-3
Predominant miasma	Sycotic

Case 2 some of the main symptoms and it's miasmatic seriation and equivalences:

Table 6. Mental and General symptoms.

Mental	General	Particular
Fastidious 2 CONTRADICTION intolerant of contradiction 2 Impatience 2	Noise agg 2 Sleeplessness 2 Motion amel 2 Cold agg 1	Nasal discharge 2 Nasal congestion 2-1 History of FEMALE GENITALIA-TUMORS myoma (fibroid) (Suppressed) 2

Phenomenological expressions:

1. I like everything perfect so I encourage my children to be really organized as me.
2. I get angry when they don't obey.
3. I also get angry when people don't agree with me.
4. I hate being seek, I can't breathe,
5. I have nasal obstruction worsen by cold weather. That gives me a headache but when I start doing things, working, walking I feel better.
6. Whenever I get cold I feel the obstruction with a mucous discharge from the back of my nose and on my throat. Sometimes that wont let me sleep.
7. I want to feel better as soon as possible, I feel desperate"

Dx miasmatic: 2-1-3 Sycotic, Psoric. Syphilitic

Treatment: Nux Vomica 0/1.

2.3. Case 3 Patricia

MIASMATIC DIAGNOSIS

Psora1 Sycosis 2 Syphilis 3.

Table 7. I&D Identification and demographics (name Patricia, age).

I&D Identification and demographics (name, age, height, weight) Age 57	PSORA	SYCOSIS	SYPHILIS
PMH (Past medical history) (major illnesses)	14	6	6
FH (Family history) (father mother. paternal grandparents and maternal grandparents)	4	6	5
HPC (History of presenting complaint) Synthesis:			
Average mental and general symptoms in common.....	3	12	6
	21	24	17

Table 8. Nosological dx.

Nosological dx	Uterine bleeding for myomas uterine fibroids
	Ovaric cyst
Dx of Pathology, symptoms after the hysterectomy (Suppression):	Dyslipidemia (Hypercholesterolemia and hypertriglyceridemia)
Miasmatic diagnosis:	Hypothyroidism
Predominant miasma	2-1-3 Psoric

Case 3 some of the main symptoms and it's miasmatic seriation and equivalences:

Table 9. Mental and General symptoms.

Mental	General	Particular
	Swelling 2	
Anger 2	Obesity 2	EXTREMITIES cramps 3
Singing 2	Morning agg 1	CHEST-PAIN-Stitching Mammas 2-3
Industrious 2	Cold agg 1	FEMALE GENITALIA-TUMORS Ovaries 2
Busy 2	Unrefreshing sleep 3	History of FEMALE GENITALIA-TUMORS myoma (fibroid) (Suppressed) 2
	Weariness 1	

Phenomenological expressions:

1. I feel angry everytime
2. I have leg cramping because it wont let me walk and it is really painful.
3. I like to be busy, I get easily bored so I work a lot. Ever since they removed my uterus
4. I feel stitching pain on my breast, it gets worse in cold weather and when I wake up in the morning.
5. I feel really tired all the time, most of all at rise, I wake up without energy and really sleepy"

Dx miasmatic: 2-1-3 Sycotic, Psoric, Syphilitic

Treatment: Nux vomica 0/2.

2.4. Case 4 Sofia

MIASMATIC DIAGNOSIS

Psora1 Sycosis 2 Syphilis 3.

Table 10. I&D Identification and demographics (name Sofia, age).

I&D Identification and demographics (name, age, height, weight) Age 48,	PSORA	SYCOSIS	SYPHILIS
PMH (Past medical history) (major illnesses)	9	3	2
FH (Family history) (father mother. paternal grandparents and maternal grandparents)	9	3	2
HPC (History of presenting complaint) Synthesis:			
Average mental and non-general symptoms in common	8	4	4
	26	10	8

Table 11. Nosological dx.

Nosological dx	Myomas uterine fibroids
Dx of Pathology, symptoms after the hysterectomy (Suppression):	Ferropenic Anemia Inguinal Hernia
Miasmatic diagnosis:	1-2-3
Predominant miasma	Syphilitic

Case 4 some of the main symptoms and it's miasmatic seriation and equivalences:

Table 12. Mental and General symptoms.

Mental	General	Particular
Yielding disposition 1 Reserved 1 AILMENTS FROM. Disappointment 1 COMPANY desire for 1	SLEEPINESS. Morning 1 Cold weather agg 1	History of FEMALE GENITALIA-TUMORS myoma (fibroid) (Suppressed) 2 FEMALE GENITALIA- METRORRHAGIA fibroids from (Suppressed) 3-2

Phenomenological expressions:

1. I feel really tired and sleepy on the morning, even if
2. I sleep well at night. I feel like everything
3. I've ever done is for emotional dependency, to make everyone happy or to make them love me.
4. I don't like to be alone, so a seek for company.
5. I'm not comfortable sharing my feelings, it its hard for me to tell you how
6. I feel but my husband was unfaithful and ever since
7. I've been feeling tired and cold.
8. I don't like cold weather it makes me feel worst. Also after that I started to have minor bleeding in between my menstrual cycle so
9. I had a pelvic ultrasound and they found uterine fibroids so that is why I had the surgery to get my uterus removed. After that happened I've been feeling really tired, sleepy and cold" (Blood work showed iron deficiency anemia)

Dx miasmatic: 1-2-3 Psoric, Sycotic, Syphilitic

Treatment: Phosphorus 0/2.

3. Discussion

It is obvious that the original purpose of medicine to care for and cure patients has been transformed. now what matters is that it deals only with mine, which is almost always what makes someone profit. Over-marketing of medicine has threatened traditional medicine and homeopathy for decades. Homeopathy survives for a very simple reason: it cures without causing harm to its patients.

Society, mostly subordinate to the media, passively accepts what is told about what cures and what does not. This means that many patients who are already in an incurable state come to homeopathy, did not come in time to solve their problems and will now receive palliative instead of curative treatments.

We know that many of the products used today in allopathic medicine are derivatives or modifications of millenary substances, to which little or no recognition is given. Before all this situation the question is what to do? Criticize because some who say they know say so? Or rather, explore, confirm and thus adapt from one's own experience? Yuan, H., Ma, O., Ye, L., Piao, G. [9] mentioned that Drugs Developed from Traditional Medicines that Follow the Traditional Uses of traditional medicine is too valuable to be ignored in the research and development of modern drugs.

Afridi, N., Fareed, A., Nazeer, S., Khan, S., Khan, Sh. [1] recommend determining frequency of histopathological diagnosis in women who underwent hysterectomy for benign condition in tertiary care hospital. However, this is not enough because the living problem of suppression.

As it is known, the suppressive effects are the different degree of symptoms consequence of mutilation of organs in all human bodies. Stewart [10] describe the psychological factors which happened after hysterectomy. The more common faults include an undue emphasis on retrospective designs, inadequate controls, contamination of assessment procedures, and failure to quantify and adequately analyze results. Torres and Reig [11] add the lack of miasmatic diagnosis in the cases of hysterectomy, this add countless

extra complications.

More and most effective measures are urgent to defend women full of fear and deluded who choose hysterectomy without knowing the complications they will have in the future. Measures such as Afridi, N., Fareed, A., Nazeer, S., Khan, S., Khan, Sh. [1] they determined frequency of histopathological diagnosis in women who underwent hysterectomy for benign condition in tertiary care hospital. But also correct the changed mindset in order to aloud women to thing better the complications of this kind of surgery.

Rogoff, [12] explain the way to internalization in particular forms of reasoning, and conceptual positions. Reig, E., Galvanovskis, A., Asili, N. and Diez Martínez, O. [13] also mentioned the control of cognitive contamination as a form to protect people of manipulation.

As always, good homeopathic diagnosis and interview, before or after hysterectomy, will provide better results for patients, because this kind of interview is complete. Bell, I. R., Koithan, M., Gorman, M. M., & Baldwin, C. M. [14] Bell, I. R. et Al. Proposed to identify the areas that classical homeopathic practitioners would like to see in their patients, some of the categories identified by the 38 homeopaths included changes in: (1) emotions; (2) mind; (3) specific physical functioning; (4) general physical changes; (5) self-perception; (6) relationships; (7) spirituality; (8) lifestyle; (9) energy; (10) content and tone of sleep; (11) well-being; (12) perceptions of others; (13) life relationships; (14) a feeling of freedom or feeling less "stuck"; (15) sleep; (16) confrontation; (17) adaptability; (18) creativity; And (19) remember past experience.

4. Recommendation

Finally, we recommend future research to support with more data the terrible effects of suppression in woman who decide to practice hysterectomy as a preventive situation or as the first treatment option instead of considering most conservative or alternative treatments.

References

- [1] Afridi, N., Fareed, A., Nazeer, S., Khan, S., Khan, Sh. (2020) histopathology diagnosis in women who underwent a Hysterectomy for a benign condition. *Professional medical journal*. 27 (4) pp 721–724.
- [2] Anbreen, F., Qadir, S., Naeem, H., Farhat, N., Ghafoor, M., Hassan, S. (2018) Type, time-trend and indications of hysterectomy. *Gomal Journal of Medical Sciences*. 16 (4) pp 92–96.
- [3] Levine, J. M., Resnick, L. B. and Higgins, E. T. (1993). Social foundations of cognition. In L. W. Porter and M. R.
- [4] Vygotski, L. S. (1978). Mind in society: The development of higher psychological processes. Cambridge, Massachussets: Harvard University Press.
- [5] Kaur, D., Shah, J. and Sonavale, R. (2019) Evaluating the role of Homeopathic medicine Testosterone in its various attenuations for its anticancer activity on Breast Cancer cell line MCF-7. *International Journal of Pharmaceutical Research*. 11 (3) pp 164–170.
- [6] Yadev, R., Jee, B., and Rao, K. (2019) How homeopathic medicine works in cancer treatment: deep insight from clinical to experimental studies. *Journal of Experimental Therapeutics and Oncology*. 13 (1) pp 71–76.
- [7] Lucadou, W. (2019) Homeopathy and the Action of Meaning: A Theoretical Approach. *Journal of scientific exploration*. 33 (2) pp 213–254.
- [8] Banyopadhyay, P., Das, S., Manchanda, R., Khurana, A., Nayak, D., Bhar, D., Basu, R. and Nandy, P. (2016) Effects of homeopathic medicine on physical properties of matter -- a classical and QED perspective. *International Journal of High dilution*. 15 (3) pp 18–22.
- [9] Yuan, H., Ma, O., Ye, L., Piao, G. (2016) The Traditional Medicine and Modern Medicine from Natural Products. *Molecules*. 21 (5) pp 559-577.
- [10] Stewart (1977) The psychological effects of hysterectomy. *Canadian psychology*. 18 (2), pp. 128-141.
- [11] Torres, R. and Reig, E. (2019) *La curacion verdadera a traves de los remedios homeopaticos. (True healing through homeopathic remedies)* Spain: Arcopres publishing house.
- [12] Rogoff, B. (1990). Apprenticeship in thinking: Cognitive development in social context. New York: Oxford University PressRosenzweig (Editors), from the Annual Review of Psychology, 44, 585-612.
- [13] Reig, E., Galvanovskis, A., Asili, N. and Diez Martínez, O. (1995) Geriatric Control of Cognitive contamination improves life quality in elderly. *Quarterly journal of the International Institute on Ageing, United Nations*. May. 5 (3).
- [14] Bell, I. R., Koithan, M., Gorman, M. M., & Baldwin, C. M. (2003). Homeopathic Practitioner Views of Changes in Patients Undergoing Constitutional Treatment for Chronic Disease. *Journal of Alternative & Complementary Medicine*, 9 (1), 39-50.

Biography

Claudia Reig-Salazar, M.D., D.H. medical surgeon graduated from UPAEP, Mexico. fellowship at the Hospital Clinico of Barcelona, graduated from the specialty in homeopathy at the school Homeopatía de México A.C. Coauthor of the book: *To the conquest of emotional health*, Almuzara publishing house: Spain.

Enrique Reig, M.D. PhD. D.H. medical surgeon BUAP México, specialty in psychiatry in the clinical hospital of San Carlos Madrid, short term specialization in Geriatrics in the international Institute on Ageing United Nations Malta, Specialty in Homeopathy in the school Homeopatía de México, A.C. in Mexico city, author of many scientific articles and books with different publishers such as: McMillan Research Series, Thompson Learning, McGraw Hill. in Spanish in Spain: Almuzara, Lid, Toro mítico, editorial teosófica Española, and some more.