Correlation Between the Kinematic Parameters Situation the Free Kick of Elite Players

Dujaka Aziz*, Sokoli Bylbyl

Faculty of Physical Education and Sport, University "Hasan Prishtina", Pristina, Kosovo

Email address:

aziz.dujaka@uni-pr.edu (D. Aziz)

*Corresponding author

To cite this article:

Dujaka Aziz, Sokoli Bylbyl. Correlation Between the Kinematic Parameters Situation the Free Kick of Elite Players. *American Journal of Sports Science*. Vol. 7, No. 3, 2019, pp. 103-110. doi: 10.11648/j.ajss.20190703.14

Received: July 7, 2019; **Accepted:** July 26, 2019; **Published:** August 10, 2019

Abstract: This research is aimed at reviewing the correlation of seven situational kinematics parameters of the free kick of the elite soccer players (Cristiano Ronaldo): Angle of approach, Distance of free kick to the middle of the goal, Distance of the ball approach, Number of steps of ball approach, Length of the last step, Distance between the ball and the support leg, Angle inclination of the support leg. We used the cinematographical method through Kinovea- and Photo Suite 4, to 30 free kick videos -You Tube. Measurements of kinematics variables are measured directly in some frames to stages of movement, and after basic statistical analysis and Pearson's Correlation Coefficient (r). With six first variables we have analyzed the Approach phase where correlations significant positive relationships expressed variables Number of steps of ball approach -Ns with three other variables: Distance of the ball approach -Da, $r = 0.431$ ($p = .020$) and The length of the last step -Ls, $r = 0.397$ ($p = .033$) and Angle inclination of the support leg - ϕ , $r = 0.443$ ($p = 0.018$). as well as the variable Length of the last step -Ls, which also has significant positive relations correlations with the variable Distance of the ball approach, running start -Da, $r = 0.745$ ($p = .000$). Relationships between the off side and the free location and the angle of approach, the kicking in the same angle of the same side of approach have a value of about 30 degrees, and if it falls to the opposite angle of the opposite side, the angle of access has a value of about 50 deg.

Keywords: Instep Free Kick, Situational Kinematics Parameters, Angle of Approach, Distance the Goal, Running Start, Running Stride, Last Step, Inclination

1. Introduction

The variations of the ball kicks in the soccer sport are numerous, such as midway and wide distance kicks, goal collisions (penalty shootouts) as well as free kicking [1]. Particularly special are the free strikes, since they are executed by special positions, which distinguish the players who are specialists to score a goal from these positions. The goal scored by free kicks (from different positions and distances) is an indication of the high possession of the football technique. In elite football, there are a few players, one of whom is obviously Cristiano Ronaldo. The good biomechanical knowledge of football kicking (strikes) is very important in the process of technical acquisition with the young and in the process of perfection [1].

The aim of our study is the follow-up and correlation relations between the situations of kinematics parameters of

soccer free kicking in the instep kick, footballer Cristiano Ronaldo, who has the highest percentage of achievement of the goals scored by the different positions of the port. The information that will be gained through this research will contribute to the development of the perfection of this kick in football, improving the learning process especially with young footballers.

2. Methods

2.1. Subjects

As we are dealing with an elite player such as Cristiano Ronaldo, who is known for the efficiency of goal scoring from different positions of free throws, we have selected his

30 best free kicks since 2010 (Table 1), and we have made biomechanical analysis at the footage that is on You Tube.

Table 1. *A list of analyses free kick videos.*

1. EPL, vs Portsmouth, 30/10/2008	16.EPL, vs Bolton, 19/03/2008
2. Friendly, vs Europe XI, 13/03/2007	17.LaLiga, vs Ath.Madrid, 01/12/2012
3. Friendly, vs Hertha Berlin, 23/07/2011	18.LaLiga, vs Calta Vigo, 05/ 03/2016
4. UCL, vs Nicosia, 04/04/2012	19.LaLiga, vs Villarreal, 15/05/2011
5. EPL, vs Blackburn, 21/02/2009	20.EPL, vs Fulham, 04/02/2006
6. UCL, vs Marseille, 08/12/2009	21.LaLiga, vs Sociedad, 09/11/2013
7. LaLiga, vs Madrid, 11/04/2012	22.WC, vs Slovakia, 04/06/2005
8. EURO-Quali, vs Denmark, 11/10.2011	23.UCL, vs Oly.Lyon, 02/11/2011
9. LaLiga, vs Zaragoza, 12/12/2010	24.EPL, vs Stoke City, 15/11/2008
10. LaLiga, vs Villarreal, 21/02/2010	25.UCL, vs Bayern, 29/04/2014
11. UCL, vs Sp.Lisbon, 27/11/2007	26.LaLiga, vs Getafe, 25/03/2010
12. LaLiga, vs Ath.Bilbao, 14/04/2013	27.LaLiga, vs Getafe, 23/05/2015
13. EPL, vs Sunderland, 26/12/2007	28.UCL, vs AC Milan, 19/10/2010
14. UCL, vs Arsenal, 05/05/2009	29.EPL, vs Newcastle, 12/01/2008
15. UCL, vs Zurich, 25/11/2009	30.EURO-Quali, vs Bosna & Herzegovina, 15/11/2011

2.2. Procedures

The analysis of the free kicking phases is performed through Software Kinovea - Kinovea.Setup.0.8.15. exe and Kinovea-0.8.26-win32.exe,, where movie shooting is reproduced at a speed of 25 shots a second, in a time interval of 0.04 sec. between two frames (phase - frame), and processed with the Photo Suite 4 - Platinum Editor from MGI Software at.. This program allows us to increase or decrease the picture in order to save the real spatial dimensions from the fixed point, which in our case has represented the ball before the stroke.

The definition of spatial dimensions is realized through real space values - the caliber constant expressed by the diameter of the Soccer ball of size 5 which has the dimension 22-23 cm.

2.3. Variables

The speed of the ball hit football depends on several factors: the speed of the foot before contact with the ball; body position at moment of ball kicking; duration of stroke and the angle of striking [2-4].

Our research includes 7 situational kinematic parameters based on the opportunities offered by the shooting of the 30 free kicks, a total of 210 measurements:

1. Angle of approach (α)
2. Distance of free kick to the middle of the goal (Dg)
3. Distance of the ball approach (running start) (Da)
4. Number steps of ball approach (running stride) (Ns)
5. Length of the last step (Ls)
6. Distance between the ball and the support leg (Db)
7. Angle inclination of support leg (ϕ)

2.4. Statistical Analysis

The statistical processing of the results (210) of this research involves the analysis of the 30 free-kicking, flowing kinematics parameters (7) and the obtained results are presented through the tables and graphs of the particular free kicking phases. For all measured variables, the basic statistical parameters are calculated (basic statistical -

descriptive statistics), while for determining the relationships between the results variable correlations, they were subjected to the calculation of Pearson's Correlation Coefficient (r) using the IBM SPSS statistical system version 20.

3. Results

3.1. Angle of Approach – A (Degrees), (Tables 2, 3, 4)

Approach represents several steps of running start that can be executed under a certain angle, closed, with the direction of the ball after the kick. The length of running start, the speed and the angle of approach are the most important aspects of this part of the preparation that have a significant impact on the soccer kick [5, 6]. Correlations of the low but not significant sensitivity of this variable are expressed with variable *Length of the last step* - Ls, of coefficient ($r = 0.260$), and with variable *Distance of foot support of the ball* - Db ($r = 0.222$), while negative correlation with variable *Distance to the middle of the goal* - Dg ($r = -0.157$) (Table 4).

3.2. Distance of Free Kick to the Middle of the Goal – Dg (Meters), (Tables 2, 3, 4)

Light but not significant correlations this variable has with other variables *Number steps of ball approach* – Ns, $r = 0.292$, *Angel inclination of support leg* - ϕ ($r = 0.277$), *Distance of the ball approach* (running start) – Da, of coefficient $r = 0.267$ (Table 4).

In Figure 3, it is noticed that the angle of the free throw space is almost from the middle of the gate to the left with an angle of approximately 45 deg. The free instep kick of the maximal distance (kicking 14) is 38 m to the right, while the one to the left (kick 4) is at a distance of 28 m. The shortest kick, 19 m (kick 28), is opposite the middle of the gate.

3.3. Distance of the Ball Approach (Running Start) – Da (Meters), (Tables 2, 3, 4)

This distance (running stride), as seen in the example analyzed as a model for this work, (Graph 1), Cristiano Ronaldo passes 4m distance, while from Table 2.-3 average

distance of the ball approach is 4.355 m. This variable has significant positive relationships correlations me variable *Length of the last step* - Ls, $r = 0.745$ ($p = 0.000$), and variable *Distance of the ball approach* (running start) - Da, $r = 0.431$ ($p = .020$) and correlation with no significant difference with the variable *Distance of free kick to the middle of the goal* - Da, $r = 0.267$ (Table 4).

3.4. Number Steps of Ball Approach (Running Stride) – Ns (Number), (Tables 2, 3, 4)

The number of pitches to running strides according to [7], for executing the free kick with success is run up with 4 to 6 steps. The results of our study show that this variable has significant positive relationship correlations with variable *An inclination of support leg* - ϕ , $r = 0.443$ ($p = .018$), *Distance of the ball approach* (running start) - Da, $r = 0.431$ ($p = .020$), *Length of the last step* - Ls, of coefficient $r = 0.397$ ($p = 0.033$) (Table 4).

3.5. Length of the Last Step – Ls (Meters), (Tables 2, 3, 4)

During the run-in starting phase, the players do not aim at achieving the maximum speed, but the tendency is to do so by extending the last step of running starts with the aim of acting as efficiently as the ball hit, which [8], also propose.

This is also illustrated by the analysis of this step (running stride) of the sample analyzed as a sample for this work (Figure 1), length of the last step of Cristiano Ronaldo is 2.75 m. Significant positive correlations relationships of variables *Distance of the ball approach* - Da, $r = 0.745$ ($p = .000$), *Number steps of ball approach* - Ns, $r = 0.397$ ($p = .033$) (Table 4).

3.6. Distance Foot of Support Leg to the Ball – Db (Meters), (Tables 2, 3, 4)

Of the analyzed videos it is very difficult to determine this variable through calibration measure (diameter balls) so 30 free instep kicking are only 23 cases. According to [9], the non-kicking foot is a key element in the striking of the ball, although according to reports, they suggest that the placement of the support foot should be 5-10 cm on each side of the football [9, 10].

The light but not significant correlation of this variable is expressed by the variable *Distance of the ball approach* - Da, $r = 0.239$, with the variable *Angle of approach* - α , $r = -0.222$, and variable *Length of the last step* - Ls, $r = 0.211$ (Table 4).

3.7. Angel Inclination of Support leg – ϕ (Degrees), (Tables 2, 3, 4)

This kinematic parameter has been studied very little; although its role is discussed in certain works, especially for the last step of the free instep kick (Deceleration of the kicking leg during the follow-through) in order to maintain the balance of the body after executing free instep kick. This kinematic parameter is measured after kicking the ball between swing leg and ground of frontal plane.

This variable has a significant positive correlation relationship with the variable *The number of steps of the ball approach* - Ns, $r = 0.443$ ($p = .018$), and the correlation no significant difference with the variable with the variable *Distance to the middle of the goal*-Dg, $r = 0.277$, and the variable *Distance of the ball approach* - Da, $r = 0.204$ (Table 4).

Table 2. Kinematics situational parameters of analyzed free kick: 1. Angle of approach (α), 2. Distance of free kick to the middle of the goal (Dg), 3. Distance of the ball approach (running start) (Da), 4. Number steps of ball approach (running stride) (Ns), 5. Length of the last step (Ls), 6. Distance between the ball and the support leg (Db), 7. Angel inclination of support leg (ϕ).

VARIABLES:	1	2	3	4	5	6	7
Positions of free kicking	(α) deg.	(Dg) meter	(Da) meter	(Ns) number	(Ls) meter	(Db) meter	(ϕ) deg.
1	15	27	7.0	3	3.0	.17	48
2	65	29	7.3	4	2.6	.08	57
3	15	28	4.3	3	1.7	-	56
4	60	28	4.2	3	1.7	.09	60
5	35	25	4.1	3	1.6	.15	55
6	15	36	4.8	3	2.2	.09	55
7	35	33	3.4	3	1.6	-	52
8	35	29	5.8	3	1.8	.16	51
9	20	26	4.1	3	1.7	.12	52
10	45	30	4.0	3	2.1	-	53
11	45	28	4.8	3	1.9	-	56
12	35	29	3.5	3	1.7	.12	55
13	50	24	3.8	3	1.8	-	50
14	30	38	4.5	4	2.1	.10	60
15	30	25	3.7	3	1.8	.08	56
16	35	28	3.8	3	2.2	.12	55
17	40	28	4.8	3	1.9	.06	52

VARIABLES:	1	2	3	4	5	6	7
Positions of free kicking	(α) deg.	(Dg) meter	(Da) meter	(Ns) number	(Ls) meter	(Db) meter	(ϕ) deg.
18	55	25	4.0	3	1.8	.09	50
19	30	27	3.8	3	1.6	-	-
20	50	26	5.5	4	2.1	.10	63
21	65	27	4.2	3	1.9	.11	46
22	30	35	4.5	3	1.9	.10	44
23	20	19	3.5	3	1.8	.08	53
24	-	33	-	-	-	-	-
25	30	21	3.5	3	1.9	.08	45
26	75	20	3.8	3	1.8	.09	52
27	60	30	4.2	4	2.1	.12	50
28	15	19	3.8	3	2.1	.13	45
29	75	21	3.5	3	1.7	.12	47
30	45	32	4.1	3	1.8	.10	50

Table 3. Basic statistical (Descriptive Statistics) parameters of specific variables derived from free kicking: VAR. 1. Angle of approach (α), VAR. 2. Distance of free kick to the middle of the goal (Dg), VAR. 3. Distance of the ball approach (running start) (Da), VAR. 4. Number steps of ball approach (running stride) (Ns), VAR. 5. Length of the last step (Ls), VAR. 6. Distance between the ball and the support leg (Db), VAR. 7. Angel inclination of support leg (ϕ).

	N	Minimum	Maximu	Mean	Std.Deviat	Variance	Skewness	Kurtosis	
	Statistic	Statistic	Statistic	Statis	Statistic	Statistic	Statisti	Std. Error	Statisti
VAR 1	29	15	75	39.83	17.853	318.719	.399	.434	-.671
VAR 2	30	19	38	27.53	4.776	22.809	.101	.427	-.053
VAR 3	29	3.4	7.3	4.355	.9642	.930	1.890	.434	3.512
VAR 4	29	3	4	3.14	.351	.123	2.216	.434	3.123
VAR 5	29	1.6	3.0	1.928	.3046	.093	1.933	.434	4.837
VAR 6	23	.06	.17	.1070	.02738	.001	.728	.481	.254
VAR 7	28	44	63	52.43	4.757	22.624	.133	.441	-.255

Table 4. Correlation coefficients of situational variables derived from free kicking: 1. VAR (α)-Angle of approach (α), 2. VAR (Dg) - Distance of free kick to the middle of the goal (Dg), 3. VAR (Da) - Distance of the ball approach (running start) (Da), 4. VAR (Ns) - Number steps of ball approach (running stride) (Ns), 5. VAR (Ls) -Length of the last step (Ls), 6. VAR (Db) - Distance between the ball and the support leg (Db), 7. VAR (ϕ) - Angel inclination of support leg (ϕ).

Variables:	1	2	3	4	5	6	7
1. VAR (α)	1						
2. VAR (Dg)	-.157	1					
3. VAR (Da)	.005	.267	1				
4. VAR (Ns)	.260	.292	.431*	1			
5. VAR (Ls)	-.111	.164	.745**	.397*	1		
6. VAR (Db)	.222	-.008	.239	-.119	.211	1	
7. VAR (ϕ)	.027	.277	.204	.443*	-.002	-.215	1

* Correlation is significant at the 0.05 level (2-tailed).

** Correlation is significant at the 0.01 level (2-tailed).

4. Discussion

This approach phase defined the other phases, so the best knowledge of biomechanics of kicking can help in the training process. The trainer's experience in combination with the mechanical model of the desired performance implies the coach's need for a correct performance [11, 12].

4.1. Angle of Approach – α (Degrees)

In Table 3 shows that the average value of angle of approach for 29 analyzed kick, the value of mean is 39.84

deg. which can be said to be at the limit of the proposal of Lees et al [13], which proposes that this angle be from 30 to 45 deg with the maximum ball to foot velocity achieved. This variable in the results of our work has correlation with no significant difference ($r = -0.157$) with variable *Distance to the middle of to the goal* - Dg (Table 4). Starting from the distance of free kick to the middle of the goal of 19 m, the angle of approach is 17.5 degrees, while the distance 20 - 25 m is 47 deg, distance 26 -29 m is 39.23 deg, distance 30 - 38 m is valued 37.14 deg.

Figure 1. Kinogram of the free kicking phase, the whole movement (the running start - access to the ball, 4 meters), the first step 1.14m, second step 1.72m, and last step 2.75m.

Figure 2. Accuracy in space (8 x 8) to goal of free kicking.

4.2. Distance of Free Kick to the Middle of the Goal – Dg (Meters)

The most interesting results of the linkage of this variable distance of free kick to the middle of the goal and the angle of approach were obtained when we analyzed the location of the hit spot (Figure 3) with the place of goal scoring in port (Figure 2).

Right-sided positions (Table 2) of free-kicking positions, (positions 1, 2, 3) have a mean of 31.66 deg of angle, while those kicks which have ended in the opposite angle (positions 13, 17, 18, 20), on the left have mean of angle of approach 48.75 deg. The shootings executed from the left positions and that are fired in the corner of the gate of the same (positions 9, 12, 15, 19, 24) have mean of angle of approach 35 deg, while those shootings that have ended in the angle of

opposite (positions 4, 5, 8, 10, 11, 26), left have mean angle of approach 49, 16 deg. From this connection we can conclude for the players who execute the free-kick with right foot (as in our case Cristiano Ronaldo), it seems that if it is to hit the right corner of the goal from the kicking position from the right angle of approach is approximately 30 deg (31.66), if the angle of approach is approximately 50 deg (48.75), and if the left corner of the gate is to be kicked by the angle of approach, the angle of approach is approximately 35 deg, while the kicking in the angle of the opposite angle of approach is approximately 50 deg (49.16). For further research, it remains to study the angle of approach depending on the placement of the living wall as the inevitable obstacle of free kicks.

Figure 3. Linear distance from free kicking to midfield to goal.

4.3. Distance of the Ball Approach (Running Start) – D_a (Meters)

From the results of our study to the variable distance of the ball approach that expresses the distance in meters of running start has a mean value 3.4 m, where close to 90% of the results have a value of 3.409 - 5.334 m. Although this distance of running start is aimed at achieving fast initial kick speeds, players get this speed (100%) since the generation of ball-punch is created with the swing leg speed reached at the last step of running ($p = .000$), while correlation with variables number of steps of ball approach, $r = 0.431$ ($p = 0.020$) is logical since this variable lies within the distance of running start.

4.4. Number Steps of Ball Approach (Running Stride) – N_s (Number)

Kicking the ball with running start shows the top speed of the hit ball compared to the kick-off, but the difference between running start with one or more steps at the top speed is not confirmed, but practice has shown that soccer players prefer running start with 2- 3 steps [14].

The number of steps for running stride is the values mean 3.14 step (3 - 4), which matches the results of the research of other authors. Correlation with the variables: *Distance of the ball approach* - D_a , $r = 0.431$ ($p = .020$) and *Length of the last step* - L_s , $r = 0.397$ ($p = .033$) as we said above is logical since this variable extends within the distance of running start. Correlation with variable *Angle inclination of support leg* - ϕ , $r = 0.443$ ($p = 0.018$) cannot be explained by the fact that there is no logical connection, except that numerical values during statistical processing have a small difference between maximum and minimum values 4. Range = 1 and 7. Range = 19).

4.5. Length of the Last Step – L_s (Meters)

During the approach phase, the force within the collision begins to form, which is carried in the last step and now with the added force acting at the foot of the swing leg [13], so the ball kick will be optimal [15] since it is possible to rotate the largest of the pelvic around the swing leg [16] by acting on the longer path foot of support leg to ball [8].

In the results of the study, the value of mean to length of the last step is 1, 928 m, while 93.10% of the results range from 1, 624 to 2, 232 m. In the example analyzed as a footnote for this work (Graph 1), the length of the last step to Cristiano Ronaldo is 2.75 m, while the step that precedes this is the length with small (1.72m) but Cristiano Ronaldo passes in the last step of the jump without placing the ball in the ground, thereby significantly improving the "nailing" of foot to swing near the ball. The highest correlation of this variable ($r = 0.745$, $p = 0.01$) with the variable (*Distance of the ball approach* - D_a) is shown in the results of this work, the distance of the ball approach from 3.4 to 3.8 m (length of the last step is 1.75 m), results 4.0-4.8 m (1.88 m), results 5.0-5.8 m (1.95 m) and results 7.0 -7.30 m (2.40 m). The length of the last step has a different frequency of results at 1.80 m (7 times), 1.70 m (5 times), 1.90 m (5 times) and 2.10 m (5 times). Correlation with the variable *Number of steps of ball approach* - N_s , $r = 0.397$ ($p = .033$) is stressed as we have to do with its results from 3 to 4 steps.

4.6. Distance Between the Ball and the Support Leg – D_b (Meters)

According to the results of [17], the velocity of the ball depends primarily on the speed of the swing leg at the moment of contact with the ball and the position of the support leg when performing the kick. This is because of the

high force impulse as well as because of the increase of the phases of compression and restitution of ball [18, 4, [19]. Kapidžić [20] in their research found correlation ($r = -0.446$) between the distance from the support leg to the ball (mean 14.13 cm) and the speed of the ball (mean 20.95 m / s) of the Instep Kick in Youth Soccer Players. The results of our study for this variable have a value of mean 0.1070 m (min 0.06 and max 0.17 m), while non-signatory correlation has the distance of running start ($r = 0.239$) and the length of the last step ($r = 0.211$) emerge as spatial distance, while negative correlation is also not significant with variable angle of approach ($r = -0.222$). At the angle of approach 15 - 20 deg, value of means of variable distance between the ball and the support leg is 0.118 cm, whereas at the angle of approach it is 30 - 35 deg (0.113 cm), angle of approach 40 - 55 deg (0.112 cm), angle of approach 60 - 65 deg (0.100 cm).

4.7. Angel Inclination of Support Leg – ϕ (Degrees)

This parameter belongs to the last phase of the free instep kick in order to maintain the balance of the body after the execution of the kick and is measured after kicking the ball between the swing leg and the ground of the frontal plane, which in our study has the value of mean 52.48 deg. Although the inclination of the support leg is due to the dispersion of the kinetic and elastic forces formed by the swing leg [13], it is not the only form created to maintain the balance of the body. Thus, the upper part of the body provides the basal support of the pelvis (pelvic), tongs and arms, since the rotation of the pelvis is approximately 30 to 36 deg with elite players [8, 21], while decreasing the distance between the swing leg and the opposite arms [13]. Our study results show that this variable has significant positive correlation relationships with variable *Number steps of ball approach* - N_s , $r = 0.443$ ($p = 0.018$) even though we are dealing with value of 3 and 4 steps. In total 28 of free instep kick which were analyzed, value of angel inclination of support leg results with higher frequencies is those of 50 -56 deg (20 times), 44-48 deg (6 times) and 58-63 (4-times). Correlation with no significant difference with the variable *Distance to the middle of the goal* – D_g ($r = 0.277$) is explained by the report where distance of the goal 19 – 21 m (value of mean is 48.4 deg), of distances 24 – 27 m (52.5 deg), of distances 28 - 30 m (55. 8 deg), so, with the increase of distance of the goal the angle inclination of support leg increases, too especially of distance 28 m (55.8 deg) and after the distance increase the results of angle inclination of support leg, decrease up to 44 deg.

5. Conclusion

Based on the results of our study of correlations between the cinematic situational parameters for 30 free kicking instep analyzes executed by Cristiano Ronaldo, correlations significant positive relationships were shown with variable *Number steps of ball approach* - running stride – N_s and three other variables: *Distance of the ball approach* (running start) – D_a , $r = 0.431$ ($p = 0.020$) and *Length of the last step* (L_s) – L_s , $r = 0.397$ ($p = 0.033$) and *Angel inclination of support*

leg – ϕ , $r = 0.443$ ($p = 0.018$).

No significant difference was seen in correlation relationships between other variables, but by analyzing their results one can draw important relationships for practical work for trainers in soccer. So by comparing relationships between variable outcomes *Angle of approach* - α and *Distance of free kick to the middle of the goal* – D_g it looks like with the increase of the distance of free kick to the middle of the goal, the angle of approach increases (19 m = 17.5 deg,) to the distance 25 m (47 deg), and after that distance the angle of approach decreases (26 - 29 = 39.23 deg, 30 – 38 = 37.14 deg). If relationships between compared the location of the execution site of free instep kick (Figure 3) with the goal scoring at the port (Figure 2), kicks in the same angle of the same side show that the angle of approach has value approximately 30 deg, whereas if the kicks happen n the opposite side, the angle of approach has the approximate value 50 deg (for the right-footed players, as is our case study, Cristiano Ronaldo). Angle of approach, depending on forming a living wall as an inevitable obstacle to free kicks, remains to be studied in other research topics.

Acknowledgements

The authors thank the Institute for scientific research of the Faculty of Physical Education of Sport, University of Pristina, for technical assistance in analysis of video motion and statistical data processing.

References

- [1] Kellis, E., & Katis, A., 2007. Biomechanical characteristics and determinants of instep soccer kick. *Journal of sports science & medicine*, 6, 154-165. [PubMed].
- [2] Barfield, W. R., Kirkendall, D. T., & Yu, B., 2002. Kinematic instep kicking differences between elite female and male soccer players. *Journal of sports science & medicine*, 1 (3), 72. [PubMed].
- [3] Meamarbashi, A., & Hossaini, S., 2010. Application of Novel Inertial Technique to Compare the Kinematics and Kinetics of the Legs in the Soccer Instep Kick. *Journal of Human Kinetics*, 23, 5-13. [Google Scholar].
- [4] Dörge, H. C., Bull-Andersen, T. B., Sørensen, H., and Simonsen, E. B., 2002. Biomechanical differences in soccer kicking with the preferred and the non- preferred leg. *Journal of Sports Sciences*, 20, 293–299. [PubMed].
- [5] Isokawa, M., and A. Lees., 1988. A Biomechanical Analysis of the Instep Kick Motion in Soccer. In: Science and Football, Reilly, T., A. Lees, K. Davids and W. J. Murphy (Eds). *E and FN Spon, London*, pp: 449-455. [Google Scholar].
- [6] Kellis, E., A. Katis and I. Gissis, 2004. Knee biomechanics of the support leg in soccer kicks from three angles of approach. *Med. Sci. Sports Exerc.*, 36: 1017-1028. [PubMed].
- [7] Reilly, T., & Williams, A. M. (Eds)., 2003. Science and soccer. Routledge. [Google Scholar].

- [8] Lees, A., Nolan, L., 2002. Three-Dimensional Kinematic Analysis of the Instep Kick Under Speed and Accuracy Conditions: Science and Football IV.: Spinks W., Reilly T., Murphy A., editors. London, Routledge; 16-21. [Google Scholar].
- [9] Lees, A., & Nolan, L., 1998. The biomechanics of soccer. *Journal of sports science*, 16 (3): 211 - 34. [PubMed].
- [10] McLean, B. D., & Tumilty, D. M., 1993. Left-right asymmetry in two types of soccer kick. *British Journal of Sports Medicine*, 27 (4), 260-262. [PubMed].
- [11] Elliott, B., 2001. Biomechanics of Sport. In: Better Coaching: Advanced Coaches. [Google Scholar].
- [12] Lees, A., 2002. Biomechanics Applied to Soccer Skills. In: Science and Soccer, Reilly, T. (Ed). *E and FN Spon, London*, ISBN: 978-0-203-41755-3, pp: 123-134. [Google Scholar].
- [13] Lees, A., Asai, T., Andersen, T. B., Nunome, H., & Sterzing, T., 2010. The biomechanics of kicking in soccer: A review. *Journal of Sports Sciences*, 28 (8), 805-817. [Google Scholar].
- [14] Ismail, AR., Mansor, MRA., Ali, MFM., Jaafar, S., Makhtar, NK., 2010. Biomechanical Analysis of Ankle Force: A Case Study for Instep Kicking. *Am J Appl Sci.*; 7 (3): 323–330. [Google Scholar].
- [15] Abo-Abdo, H. E., 1981. Kinematic and kinetic analysis of the soccer instepkick. Doctoral dissertation, Indiana University, Bloomington, IN. [Google Scholar].
- [16] Barfield, B., 1998. The biomechanics of kicking in soccer. *Clinics in Sports Medicine*. 17 (4): 711-728. [PubMed].
- [17] Tanaka, Y., Shiokawa, M., Yamashita, H., Tsuji, T., 2006. Manipulability Analysis of Kicking Motion in Soccer Based on Human Physical Propertie. [Google Scholar].
- [18] Opavsky, P., 2000. Biomechanical analysis of technical elements in football. Beograd: "Vizartis";. pp. 35–45. [Google Scholar].
- [19] Asai, T., Carre, MJ., Akatsuka, T., Haake, SJ., 2005. The curve kick of a football I: impact with the foot. *Sports Engineering*, 1.; 5: 183–192. [Google Scholar].
- [20] Kapidžić, A., Huremović, T., Biberovic, A., 2014. Kinematic Analysis of the Instep Kick in Youth Soccer Players. *Journal of Human Kinetics*. volume 42, 81-90 DOI: 10.2478. [Google Scholar].
- [21] Lees, A., Steward, I., Rahnama, N., & Barton, G., 2009. Lower limb function in the maximal instep kick in soccer. *Contemporary Sport, Leisure and Ergonomics*. New York: Taylor & Francis, 149-60. [Google Scholar].
- [22] Kinovea –Kinovea. Setup. 0. 8. 15. exe, and Kinovea - 0. 8. 26 - win32.exe. (<https://www.kinovea.org/>).
- [23] PhotoSuite 4 Platinum Editor from MGI Softwer. <http://www.mgisoft.com> and <http://www.photosuite.com> and <http://www.sonic.net/mnitedpub/pccafe/reviews/photosuite4/photosuite4.html>.
- [24] Soccer ball size | Official football size chart, circumference & weight. <https://www.football-bible.com/soccer-info/soccer-ball-sizes.html>.
- [25] You Tube (Cristiano Ronaldo TOP 30 Free Kick Goals EVER. REAL MADRID FAN CLUB. <https://www.youtube.com/watch?v=aBfH280OWek>).