Internet Addiction and Estimation Procedure, Among Computer and Medical Professional Students: A Cross Sectional Study Odisha, India

Bulu Mahanty^{1,*}, Gopabandhu Mishra²

¹Department of Community Medicine, Hi-tech Medical College & Hospital, Bhubaneswar, Odisha, India

²P. G. Department of Statistics, Utkal University Vanivihar, Bhubaneswar, Odisha, India

Email address:

bulu.mahanty@gmail.com (B. Mahanty)

*Corresponding author

To cite this article:

Bulu Mahanty, Gopabandhu Mishra. Internet Addiction and Estimation Procedure, Among Computer and Medical Professional Students: A Cross Sectional Study Odisha, India. *International Journal of Biomedical Materials Research*. Vol. 4, No. 1, 2016, pp. 1-5.

doi: 10.11648/j.ijbmr.20160401.11

Received: April 14, 2016; **Accepted:** May 6, 2016; **Published:** August 17, 2016

Abstract: This paper is about the Estimation of internet addiction of MCA Students & Medical Students of Hi-tech medical college & hospital at Utkal University, Bhubaneswar, Odisha. It has transformed academic landscape Research over the last decade has identified Internet addiction as a new and often unrecognized clinical disorder that impact a user's ability to control online use to the extent that it can cause relational, occupational, and social problems. A total of 100 study participants were selected. Probability sampling technique of cluster sample of two cluster & a cross-sectional study of the students of Master in computer Application 50 Students & Hi-tech medical college & hospital 50 students were scored using a questionnaire to determine the number of hours they spend on the use of internet and also the purpose for which they use internet & its risk factors, estimation of future trends. From the result most of them are internet addicted 69.61% are mild addiction but most of MCA students are severe (75 out of 100 scores) addicted but most of Medical Students are mild addicted (63 out of 100 scores). Higher the score range the greater the level of internet addiction, risk factors are higher. Further it was observe through the advance statistical analysis pair t test for impact of internet addiction & Estimation procedure apply by linear Regression analysis for predict the future internet addiction show that a significant among MCA & Medical Students for internet addiction & are having high risk factors for health, family, friends, psychological, angry etc. have positive impact. The study showed that more than 70% of students are mild addiction out of which MCA students are severe risk than the medical students. For 47% of the students reason for surfing is nonacademic work i.e. personal out of which 9% are others like Porn & Online Purchasing, Online movies, etc. Thus it is essential to orient the students on using internet for their studies for better career and life.

Keywords: Internet Addiction, Risk Factor, Paired t Test, Linear Regression, SPSS 22.0

1. Introduction

Internet use: In the section on Internet use, adolescents were asked to state how frequently and where they used the Internet and whether they are supervised when using it. In addition to this, the following Internet application uses were inquired about in terms of days per week and hours per day: instant messenger (e.g., MSN), e-mail, surfing, Twitter, chat, social networking sites (e.g., Face book), forums, Hotel, weblogs, YouTube, online poker, downloading, television and radio, Songs (audio& video),

Porn site, Movies etc...Live streaming, as well as online, offline, and browser games. For these variables, usage hours per week were calculated in order to provide a more detailed and elaborated picture of overall usage.

What is Internet addiction?

1. Internet addiction is described as an impulse control disorder, which does not involve use of an intoxicating drug and is very similar to pathological gambling.
2. Internet addiction is described as an impulse control disorder, which does not involve use of an intoxicating drug and is very similar to pathological gambling.

3. While time spent online can be hugely productive, compulsive Internet use can interfere with daily life, work, and relationships. When you feel more comfortable with your online friends than your real ones, or you can't stop yourself from playing games, gambling, or compulsively checking your smartphone, tablet, or other mobile device—even when it has negative consequences in your life—then you may be using the Internet too much.

What are the effects?

Internet addiction results in personal, family, academic, financial, and occupational problems that are characteristic of other addictions. Impairments of real life relationships are disrupted as a result of excessive use of the Internet. Which results in distrust and the disturbance of quality in once stable relationships?

Those who are at highest risk for creating a secret life are those who suffer from low-self-esteem, feelings of inadequacy, and fear of disapproval are negative self-concepts that lead to clinical problems of depression and anxiety.

Anger, depression, relief, mood swings, anxiety, fear, irritability, sadness, loneliness, boredom, restlessness, procrastination, and upset stomach. Being addicted to the Internet can also cause physical discomfort or medical problems such as: Carpal Tunnel Syndrome, dry eyes, backaches, severe headaches, eating irregularities, (such as skipping meals), failure to attend to personal hygiene, and sleep disturbance. [3]

Internet addiction and pornography

Young (1999), a founding member of the centre for On-Line Addiction claims Internet addiction is a broad term that covers a wide variety of behaviors and impulse control problems [4, 5]. She claims this is categorized by five specific subtypes including:

1. Cybersexual addiction: compulsive use of adult websites for cybersex and cyber porn.
 2. Cyber-relationship addiction: Over-involvement in online relationships.
 3. Net compulsions: Obsessive online gambling, shopping or day-trading.
 4. Information overload: Compulsive web surfing or database searches.
 5. Computer addiction: Obsessive computer game playing.
- [3]

Problematic and Risky Internet Use Scale (PRIUSS)

A newer 18-item measure is the PRIUSS, the Problematic and Risky Internet Use Screening Scale, has been developed by Jelenchick and colleagues in 2012 at the University of Wisconsin School Of Medicine. This scale differed in that it was based on a conceptual model of PIU created in an earlier study [1] and has been validated through factor analysis during its development. [2] The instrument is currently being launched in several schools and clinics, as well as being evaluated through further research; it contains 18 items.

Risk

In this context, the definition for Internet addiction risk was defined as the probability of addiction for a person

possessing a particular personality trait and/or using a specific application of the Internet relative to a person who does not have the trait and/or does not use the specific application. In contrast to that, a risk ratio refers to the event of addiction relative to the risk of addiction, and can therefore reach a maximum of 1 (Sistrom & Garvan, 2004).

The internet offers two main benefits: communication and information [11]. Internet usage has the potential to improve the quality of education. It has been reported that computer-based learning can increase understanding of theoretical and critical concepts [12]. The popularity of the Internet as a teaching-learning tool increased with the introduction of the web browser, which uses a hypertext concept [13]. With text and graphical images, and later video, audio, and animated objects, it became easily distributed over the Internet. The value of the Internet for educational purposes is enhanced as it brings about positive changes to teachers and instructors, who taught students to learn, work, communicate, and play [14].

2. Material and Methods

The study was a cross sectional study. It was conducted among MCA Computer professional & Medical Students in Utkal University randomly. The period of study was Nov.2015 to January 2016. A Model Questionnaire was used to as the tool to gather the information and data for the study. Data analysis was done by using the statistical software statistical package for service solution (SPSS 22.0). Descriptive statistics & frequency distribution of the study sample & its comparison between the two institutions.

Out of 100 study participants 50:50 from each cluster MCA & Medical. All the students age group 21 to 24 & from medical students are age group 20 to 25, Gender wise MCA & Medical Male 32 & 35 and Female 18 & 15, Marks obtain from before internet uses & its addicted Mean $\pm$ SD (68.68 $\pm$ 10.46) (69.24 $\pm$ 6.81), Marks obtain from after internet uses & its addiction Mean $\pm$ SD (60.80 $\pm$ 7.56) (64.52 $\pm$ 7.37), and Monthly income of the family per month of MCA & Medical is Mean $\pm$ SD (24.78 $\pm$ 9.55, 58.92 $\pm$ 20.95). All the students had their own computer with either Wi-Fi connection or Cable, dongle internet network.

Table 1. Distribution of Students.

SEX wise distribution of study Cluster sample			
PROFESSIONAL	SEX		
	MALE	FEMALE	TOTAL
MCA	32	18	50
MEDICAL	35	15	50
TOTAL	67	33	100

Table 2. AGE & Sex Wise Distribution.

AGE	SEX		
	MALE	FEMALE	TOTAL
BELOW 20	2	0	2
20-22	10	1	11
22-24	44	27	71
ABOVE 24	11	5	16
TOAL	67	33	100

From the data above table 1 distribution of students shows that the majority of the students were from Male 67% and 33% female out of 100 samples. The table 2 gives the age & sex wise distribution of study sample gives maximum subject are from age group 22 to 24 both male & female and minimum numbers are from below 20 age group but not a single sample from female age group below 20.

Table 3. Distribution of Internet Use & Its Purpose.

PURPOSE				
STUDENT_GROUP		Frequency	Percent	Cumulative Percent
MCA	PROFESSIONAL	23	46	46
	PERSONAL	21	42	88
	OTHERS	6	12	100
	Total	50	100	
MEDICAL	PROFESSIONAL	21	42	42
	PERSONAL	26	52	94
	OTHERS	3	6	100
	Total	50	100	

From the above table 3 gives the purpose of MCA student's gives the maximum were professional 23 (46%) but in case of medical students they use for the personal 26 (52%) purpose. out of 100 number of sample.

Table 4. Most of the Site Visit.

SITEVISITMOST				
STUDENT_GROUP		Frequency	Percent	Cumulative Percent
MCA	SUBJECT RELATED SOCIAL NETWORK	19	38	38
	GAMES	16	32	70
	OTHERS	9	18	88
	OTHERS	6	12	100
	Total	50	100	
MEDICAL	SUBJECT RELATED SOCIAL NETWORK	14	28	28
	GAMES	24	48	76
	OTHERS	9	18	94
	OTHERS	3	6	100
	Total	50	100	

From the above table 4 title as Most of the Site Visit gives, Maximum MCA students were subject related 19 (38%) followed by social network 16 (32%). But in case of Medical students they use internet for the Social Network 24 (48%). Out of 100 number of sample.

Table 5. Descriptive statistics.

STUDENT_GROUP		N	Minimum	Maximum	Mean	Std. Deviation
MCA	INCOME_FAMILY	50	12.00	60.00	24.7800	9.55818
	HOURSOFINTERNETUSE PER DAY	50	2.00	6.00	4.3200	1.34680
	HOURSPERWEEK	50	14.00	42.00	30.2400	9.42762
	IMAPCT_FRND	50	1.00	4.00	1.5200	.70682
	IMPACT_STUDY	50	1.00	5.00	4.1200	1.09991
	IMPACT_FAMILY	50	1.00	5.00	2.5600	1.23156
	IMPACT_HEALTH	50	1.00	5.00	4.1200	1.11831
	PAYFORINTERNET	50	1.00	2.00	1.7800	.41845
	Valid N (list wise)	50				
	INCOME_FAMILY	50	30.00	125.00	59.8200	20.95251
MEDICAL	HOURSOFINTERNETUSE PER DAY	50	1.00	6.00	3.1400	1.44293
	HOURSPERWEEK	50	7.00	42.00	21.9800	10.10050
	IMAPCT_FRND	50	1.00	4.00	1.4000	.78246
	IMPACT_STUDY	50	1.00	5.00	4.3000	.97416
	IMPACT_FAMILY	50	1.00	5.00	1.9400	1.18511
	IMPACT_HEALTH	50	1.00	5.00	3.9400	1.20221
	PAYFORINTERNET	50	1.00	2.00	1.1400	.35051
	Valid N (list wise)	50				

From the above table 5 gives the Descriptive Statistics of MCA students gives the average income of the family Rs. 24,780 with a S. D. of 9.55 but in medical students average income of the family Rs. 59.820 with S. D. 20.95.

MCA students gives the average HOURS OF INTERNET USE 4.3 Hours with a S. D. of 1.34 but in medical students average HOURS OF INTERNET USE 3.14 with S. D. 1.44.

MCA students give the average HOURSPERWEEK 30.24

Hours with a S.D. of 9.55 but in medical students average HOURSPERWEEK 21.98 with S.D. 10.10.

MCA students gives the average & S. D. Impact of friends, study, family & health $1.52 \pm .70$, 4.12 ± 1.09 , 2.56 ± 1.23 , 4.1 ± 1.11 but in medical students average $1.40 \pm .78$, $4.3 \pm .97$, 1.94 ± 1.18 , 3.94 ± 1.20 , out of 100 sample.

MCA students give the average PAY FOR INTERNET Rs 178.00 with a S. D. of Rs.0.41 but in medical students average PAY FOR INTERNET 1.14 with S.D. 0.35.

Table 6. Paired Samples Test.

STUDENT_GROUP		Paired Differences					t	df	Sig. (2-tailed)
		Mean	S.D.	SE mean	95% Confidence Interval of the Difference				
					Lower	Upper			
MCA	BEFORE_INT - AFTER_INT	7.88	12.67	1.79	4.27	11.48	4.39	49	.001
MEDICAL	BEFORE_INT - AFTER_INT	4.72	9.169	1.29	2.11	7.326	3.64	49	.001

Table 7. Analysis Of Variance.

ANOVA ^a					
Model	Sum of Squares	df	Mean Square	F	Sig.
1 Regression	3879.547	2	1939.774	13.581	.001
Residual	13854.243	97	142.827		
Total	17733.790	99			

a. Dependent Variable: INTERNET_ADDICTION

b. Predictors: (Constant), INCOME_FAMILY, HOURS PER WEEK

From the above table 6 gives the results of paired t statistics of 4.39 with 49 degrees of freedom. The two tailed *p* value is 0.001, which is less than the conventional 5% level of significance. That means the average output of the Internet

addiction has indeed changed after professional course. out of 50 MCA students.

The results of *Paired t* statistics of 3.64 with 49 degrees of freedom. The two tailed *p* value is 0.001, which is less than the conventional 5% level of significance. That means the average output of the Internet addiction has indeed changed after professional course. Out of 50 medical students.

From the above table 7 titled as ANOVA gives the *F*-statistic the *p*-value associated with it. The *F*-statistic is the Mean Square (Regression) divided by the Mean Square (Residual): $2385.93/51.096 = 46.695$. The *p*-value is 0.001 alpha levels in testing the null hypothesis that all of the model coefficients are 0.

Table 8. Coefficients.

Coefficients ^a						
Model		Unstandardized Coefficients		Standardized Coefficients		Sig.
		B	Std. Error	Beta	t	
1	(Constant)	74.061	4.377		16.920	.001
	HOURS PER WEEK	.195	.118	.154	1.661	.100
	INCOME OF FAMILY	-.226	.052	-.404	-4.346	.001

a. Dependent Variable: INTERNET_ADDICTION

These are the values for the regression equation for predicting the dependent variable from the independent variable. The regression equation is presented in many different ways, for example:

$$(\text{Internet Addiction}) = 74.06 + .195(\text{Hours per week}) + -.226(\text{income of family})$$

The column of estimates provides the values for Constant, Hours per week, and Income of Family for this equation.

3. Summery & Conclusion

The study showed that more than 70% of students are Mild addiction out of which MCA students are Severe Risk than the medical students.

Out of 100 study participants 50:50 from each Cluster MCA & Medical Students. All the students age group 20 to 25 i.e. younger age groups, More Male students are internet addicted than female students, because of internet addiction Average Marks obtained from before internet uses was good than after use of internet that's may be the cause of internet addiction, Monthly income of the family Medical students have more than the MCA students. All the students had their own computer with either Wi-Fi connection or Cable, dongle internet network.

From the above result we conclude that MCA students are Internet addicted Severe because they are the computer professional but MCA students must take precaution for their health and academic.

From the above result we conclude that MEDICAL students are Internet addicted MILD Than MCA students because there family income is higher than the MCA students, so MEDICAL students also take precaution for their health and academic.

Our results indicate that majority of the MCA students spend average 4.30 Hours internet use per day but in medical students 3.14 hours internet use per day. Only use internet for pure academic work which can help them to understand the subject and help to improve the knowledge, academic performance.

This can be managed by their institutes through Counseling, Seminar and Workshops. Students should be suggested to browse specific sites related to their subject and which can be followed by a group discussion in their class which can be beneficial to all the students.

Parents can also offer guidance to students to focus and understand priorities while studying. In this era of rapid expansion of IT students should use internet as the advantage for knowledge improvement. They should learn to balance between social and academic use. This will help them to improve subject knowledge and quality of their work.

References

- [1] Moreno MA, Jelenchick LA, Christakis DA (2013). "Problematic internet use among older adolescents: A conceptual framework". *Computers and Human Behavior* 29: 1879–1887.
- [2] Lauren Jelenchick. "The problematic & Risky Internet Use Screening Scale (PRIUSS) for Adolescents and Young Adults; Initial Scale Development and Refinement" (PDF). Retrieved 14 March 2014.
- [3] https://en.wikipedia.org/wiki/Internet_addiction_disorder.
- [4] Young, K. (1999). The research and controversy surrounding internet addiction. *CyberPsychology and Behavior*, 2, 381–383. Springer Int J Ment Health Addict (2006) 51.
- [5] Young, K. (1999b). Internet addiction: Symptoms, evaluation and treatment. In L. Vande Creek & T. Jackson (Eds.), *Innovations in clinical practice: A source book*, 17 (pp. 19–31). Sarasota, Florida: Professional Resource Press.
- [6] Rewati Limaye, Prof. Dr. Gerhard Fotwengel (2015). Use of Internet Among Undergraduate Students From Mumbai, India, ISSN: 2230-7109 (Online) | ISSN: 2230-9543 (Print), IJECT Vol. 6, Issue 2, April - June 2015.
- [7] Kandell, J. J. (1998). Internet addiction on campus: The vulnerability of college students. *Cyber Psychology and Behavior*. 1 (1), 11–17.
- [8] Malviya, Amit, Dixit, Sanjay, Shukla, Harish, Mishra, Ankita, Jain, Abhineet and Tripathi, Amrita (2014). a study to evaluate internet addiction disorder among students of a medical college and associated hospital of central india, *National Journal of Community Medicine*, 5 (1), 93-95.
- [9] Morahan-Martin J, Schumacher P. Incidence and correlates of pathological Internet use among college students. *Comput Human Behav* 2000; 16: 13-29
- [10] Lam LT, Peng ZW, Mai JC, Jing J. Factors associated with Internet addiction among adolescents. *Cyberpsychol Behav* 2009; 12: 551-5.
- [11] Warren, A., Brunner, D., Mair P., Barnet, L., "Technology in Teaching and Learning: An Introductory Guide. London: Kogan Page, 1998
- [12] Laurillard, D., "Learning through collaborative computer simulation", *British Journal of Educational Technology*, 23 (3), pp. 164-171, 1992
- [13] Ciglaric, M., Vidmar, T., "The use of Internet technologies for teaching purposes", *European Journal of Engineering Education*, 23 (4), pp. 497-503, 1998.
- [14] Charp, S., "The millennium classroom", *T. H. E. Journal*, 27 (10), pp. 10-12, 2000.